Accepted Manuscript

Title: Characterizations of stable carbon and nitrogen isotopic ratios in wheat fractions and their feasibility for geographical traceability: A preliminary study

Authors: Hongyan Liu, Boli Guo, Bo Zhang, Yingquan Zhang, Shuai Wei, Ming Li, Syed Abdul Wadood, Yimin Wei


PII: DOI: Reference: S0889-1575(18)30009-7 https://doi.org/10.1016/j.jfca.2018.01.009 YJFCA 3034

To appear in:

Received date:	11-10-2017
Revised date:	21-12-2017
Accepted date:	6-1-2018

Please cite this article as: Liu, Hongyan., Guo, Boli., Zhang, Bo., Zhang, Yingquan., Wei, Shuai., Li, Ming., Wadood, Syed Abdul., & Wei, Yimin., Characterizations of stable carbon and nitrogen isotopic ratios in wheat fractions and their feasibility for geographical traceability: A preliminary study. *Journal of Food Composition and Analysis* https://doi.org/10.1016/j.jfca.2018.01.009

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Characterizations of stable carbon and nitrogen isotopic ratios in wheat fractions and their feasibility for geographical traceability: A preliminary study

Hongyan Liu, Boli Guo, Bo Zhang, Yingquan Zhang, Shuai Wei, Ming Li, Syed

Abdul Wadood, Yimin Wei*

Institute of Food Science and Technology, Chinese Academy of Agricultural Sciences/ Key Laboratory

of Agro-Products Processing, Ministry of Agriculture, Beijing, China.

Running title: δ^{13} C and δ^{15} N values in wheat fractions

*Corresponding author: weiyimin36@hotmail.com (Yimin Wei)

Highlights

- δ^{13} C and δ^{15} N values in different wheat fractions were determined
- Significant differences were found for δ^{13} C among different fractions
- No significant difference was found for δ^{15} N among different milling fractions

Download English Version:

https://daneshyari.com/en/article/7619699

Download Persian Version:

https://daneshyari.com/article/7619699

Daneshyari.com