Accepted Manuscript

Accepted date:

Title: Simultaneous determination of alkaloids dicentrine and sinomenine in *Stephania epigeae* by ¹H NMR spectroscopy

Authors: Jian-Wei Dong, Xue-Jiao Li, Le Cai, Jun-You Shi, Yu-Feng Li, Cui Yang, Zhen-Jie Li

4-8-2018



PII:S0731-7085(18)30924-5DOI:https://doi.org/10.1016/j.jpba.2018.08.007Reference:PBA 12138To appear in:Journal of Pharmaceutical and Biomedical AnalysisReceived date:19-4-2018Revised date:30-7-2018

Please cite this article as: Dong J-Wei, Li X-Jiao, Cai L, Shi J-You, Li Y-Feng, Yang C, Li Z-Jie, Simultaneous determination of alkaloids dicentrine and sinomenine in *Stephania epigeae* by ¹H NMR spectroscopy, *Journal of Pharmaceutical and Biomedical Analysis* (2018), https://doi.org/10.1016/j.jpba.2018.08.007

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Simultaneous determination of alkaloids dicentrine and sinomenine in *Stephania* epigeae by ¹H NMR spectroscopy

Jian-Wei Dong ^{a,*}, Xue-Jiao Li ^{a,b}, Le Cai ^b, Jun-You Shi ^a, Yu-Feng Li ^a, Cui Yang ^a, Zhen-Jie Li ^c

^a College of Chemistry and Environmental Science, Qujing Normal University, Qujing, 655011, P.R. China.

^b Functional Molecules Analysis and Biotransformation key laboratory of Universities in Yunnan Province, School of Chemical Science and Technology, Yunnan University, Kunming 650091, P.R. China.

^c Key Lab of Tobacco Chemistry of Yunnan, R&D Center, China Tobacco Yunnan Industrial Co., Ltd., Kunming 650231, P.R. China.

* Corresponding author.

E-mail addresses: jwdongyn@outlook.com, jwdongyn@mail.qjnu.edu.cn (J. W. Dong)

Highlights

- A qHNMR method for quantitation of dicentrine and sinomenine was developed.
- DMSO- d_6 enabled satisfactory separation of the signals to be integrated.
- Dimethyl terephthalate was selected as an internal standard for qHNMR.

Download English Version:

https://daneshyari.com/en/article/7625909

Download Persian Version:

https://daneshyari.com/article/7625909

Daneshyari.com