Title: Analysis of submicron-sized niflumic acid crystals prepared by electrospray crystallization

Authors: Rita Ambrus, Norbert Radacsi, Tímea Szunyogh, Antoine E.D.M. van der Heijden, Joop H. ter Horst, Piroska Szabó-Révész

PII: S0731-7085(12)00663-2
DOI: doi:10.1016/j.jpba.2012.12.001
Reference: PBA 8877

To appear in: *Journal of Pharmaceutical and Biomedical Analysis*

Received date: 26-6-2012
Revised date: 31-10-2012
Accepted date: 2-12-2012

Please cite this article as: R. Ambrus, N. Radacsi, T. Szunyogh, A.E.D.M. van der Heijden, J.H. ter Horst, P. Szabó-Révész, Analysis of submicron-sized niflumic acid crystals prepared by electrospray crystallization, *Journal of Pharmaceutical and Biomedical Analysis* (2010), doi:10.1016/j.jpba.2012.12.001

Analysis of submicron-sized niflumic acid crystals prepared by electrospray crystallization

RITA AMBRUS, NORBERT RADACSI, TÍMEA SZUNYOGH, ANTOINE E.D.M. VAN DER HEIJDEN, JOOP H. TER HORST, PIROSKA SZABÓ-RÉVÉSZ



Schematic of the electrospray crystallization process. Using a small nozzle diameter (d), a low constant flow rate (φ), relatively low solute concentration (c) a jet of highly charged small droplets will be emitted from the cone appearing at the nozzle tip when applying a high enough potential difference (ΔU) at a certain working distance (D).