

Accepted Manuscript

Pb(II) determination in natural water using a carbon nanotubes paste electrode modified with crosslinked chitosan

Fernando Campanhã Vicentini, Tiago Almeida Silva, Allan Pellatieri, Bruno C. Janegitz, Orlando Fatibello-Filho, Ronaldo Censi Faria

PII: S0026-265X(14)00084-8
DOI: doi: [10.1016/j.microc.2014.05.008](https://doi.org/10.1016/j.microc.2014.05.008)
Reference: MICROC 1956

To appear in: *Microchemical Journal*

Received date: 1 November 2013
Revised date: 3 April 2014
Accepted date: 9 May 2014



Please cite this article as: Fernando Campanhã Vicentini, Tiago Almeida Silva, Allan Pellatieri, Bruno C. Janegitz, Orlando Fatibello-Filho, Ronaldo Censi Faria, Pb(II) determination in natural water using a carbon nanotubes paste electrode modified with crosslinked chitosan, *Microchemical Journal* (2014), doi: [10.1016/j.microc.2014.05.008](https://doi.org/10.1016/j.microc.2014.05.008)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Pb(II) determination in natural water using a carbon nanotubes paste electrode modified with crosslinked chitosan

Fernando Campanhã Vicentini^a, Tiago Almeida Silva^a, Allan Pellatieri^a, Bruno C. Janegitz^b, Orlando Fatibello-Filho^a, Ronaldo Censi Faria^{a*}

^aDepartamento de Química, Universidade Federal de São Carlos, 13.560-970, São Carlos – SP, Brazil

^bInstituto de Física de São Carlos, Universidade de São Paulo, 13566-590, São Carlos – SP, Brazil

*Corresponding author.

Tel.: +55 16 33518084; Fax: +55 16 33518350

E-mail address: rcfaria@ufscar.br (R. C. Faria)

Abstract

In this work, an alternative voltammetric procedure for the determination of Pb(II) was developed using a carbon nanotubes paste electrode modified with crosslinked chitosan with glutaraldehyde

Download English Version:

<https://daneshyari.com/en/article/7643050>

Download Persian Version:

<https://daneshyari.com/article/7643050>

[Daneshyari.com](https://daneshyari.com)