

## Accepted Manuscript

Elimination of highly consumed herbicide; 2,4-dichlorophenoxyacetic acid from aqueous solution by TiO<sub>2</sub> impregnated clinoptilolite, study of degradation pathway

Zohreh Mehrabadi, Hossein Faghihian



PII: S1386-1425(18)30581-X  
DOI: doi:[10.1016/j.saa.2018.06.047](https://doi.org/10.1016/j.saa.2018.06.047)  
Reference: SAA 16206

To appear in: *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*

Received date: 7 April 2018  
Revised date: 9 June 2018  
Accepted date: 12 June 2018

Please cite this article as: Zohreh Mehrabadi, Hossein Faghihian , Elimination of highly consumed herbicide; 2,4-dichlorophenoxyacetic acid from aqueous solution by TiO<sub>2</sub> impregnated clinoptilolite, study of degradation pathway. Saa (2017), doi:[10.1016/j.saa.2018.06.047](https://doi.org/10.1016/j.saa.2018.06.047)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Elimination of highly consumed herbicide; 2,4-dichlorophenoxyacetic acid from aqueous solution  
by TiO<sub>2</sub> impregnated clinoptilolite, study of degradation pathway**

Zohreh Mehrabadi, Hossein Faghihian\*

Department of Chemistry, Islamic Azad University, Shahreza Branch, Shahreza, Iran

\*Corresponding author: faghihian@iaush.ac.ir, Tel. No. +98 321-3292515, Fax No. +98 321-3292552

Download English Version:

<https://daneshyari.com/en/article/7667658>

Download Persian Version:

<https://daneshyari.com/article/7667658>

[Daneshyari.com](https://daneshyari.com)