Extraction method based on emulsion breaking for the determination of Cu, Fe and Pb in Brazilian automotive gasoline samples by high-resolution continuum source flame atomic absorption spectrometry

Clarice C. Leite, Alexandre de Jesus, Leandro Kolling, Marco F. Ferrão, Dimitrios Samios, Márcia M. Silva

PII: S0584-8547(17)30369-5
DOI: https://doi.org/10.1016/j.sab.2018.01.018
Reference: SAB 5369

To appear in: *Spectrochimica Acta Part B: Atomic Spectroscopy*

Received date: 15 August 2017
Revised date: 26 January 2018
Accepted date: 30 January 2018

Please cite this article as: Clarice C. Leite, Alexandre de Jesus, Leandro Kolling, Marco F. Ferrão, Dimitrios Samios, Márcia M. Silva , Extraction method based on emulsion breaking for the determination of Cu, Fe and Pb in Brazilian automotive gasoline samples by high-resolution continuum source flame atomic absorption spectrometry. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Sab(2017), https://doi.org/10.1016/j.sab.2018.01.018

Extraction method based on emulsion breaking for the determination of Cu, Fe and Pb in Brazilian automotive gasoline samples by high-resolution continuum source flame atomic absorption spectrometry

Clarice C. Leite[a], Alexandre de Jesus[a], Leandro Kolling[a], Marco F. Ferrão[a,b], Dimitrios Samios[a] and Márcia M. Silva[*a,c]

[a]Instituto de Química, Universidade Federal do Rio Grande do Sul, Porto Alegre, RS, Brazil

[b]Instituto Nacional de Ciência e Tecnologia de Bioanalítica (INCT - Bioanalítica), C. Postal, 6154, Campinas, SP, Brazil.

[c]Instituto Nacional de Ciência e Tecnologia do CNPq, INCT de Energia e Ambiente, Universidade Federal da Bahia, Salvador, BA, Brazil.

E-mail: mmsilva@iq.ufrgs.br