Author's Accepted Manuscript

Comparison of two analytical methods validated for the determination of volatile compounds in virgin olive oil: GC-FID vs GC-MS

R. Aparicio-Ruiz, D.L. García-González, M.T. Morales, A. Lobo, I. Romero



www.elsevier.com/locate/talanta

PII: S0039-9140(18)30468-5

DOI: https://doi.org/10.1016/j.talanta.2018.05.008

Reference: TAL18648

To appear in: *Talanta*

Received date: 20 February 2018 Revised date: 30 April 2018 Accepted date: 2 May 2018

Cite this article as: R. Aparicio-Ruiz, D.L. García-González, M.T. Morales, A. Lobo and I. Romero, Comparison of two analytical methods validated for the determination of volatile compounds in virgin olive oil: GC-FID *vs* GC-MS, *Talanta*, https://doi.org/10.1016/j.talanta.2018.05.008

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Comparison of two analytical methods validated for the determination of volatile compounds in virgin olive oil: GC-FID *vs* GC-MS

R. Aparicio-Ruiz^a, D.L. García-González^b, M.T. Morales^a, A. Lobo^b, I. Romero^{b*}

^a Department of Analytical Chemistry. Universidad de Sevilla. c/ Prof. García González 2, - 41012-Sevilla, Spain.

^bInstituto de la Grasa (CSIC), Campus Universidad Pablo de Olavide - Edificio 46, Ctra. de Utrera, km. 1 -41013- Sevilla, Spain

^{*}Author to whom correspondence should be sent. E-mail: iromero@ig.csic.es; Tel: +34 954 61 15 50

Download English Version:

https://daneshyari.com/en/article/7675732

Download Persian Version:

https://daneshyari.com/article/7675732

<u>Daneshyari.com</u>