

The classification of lung cancers and their degree of malignancy by FTIR, PCA-LDA analysis, and a physics-based computational model

E. Kaznowska, J. Depciuch, K. Łach, M. Kołodziej, A. Koziorowska, J. Vongsvivut, I. Zawlik, M. Cholewa, J. Cebulski



PII: S0039-9140(18)30442-9
DOI: <https://doi.org/10.1016/j.talanta.2018.04.083>
Reference: TAL18622

To appear in: *Talanta*

Received date: 25 November 2017
Revised date: 25 April 2018
Accepted date: 26 April 2018

Cite this article as: E. Kaznowska, J. Depciuch, K. Łach, M. Kołodziej, A. Koziorowska, J. Vongsvivut, I. Zawlik, M. Cholewa and J. Cebulski, The classification of lung cancers and their degree of malignancy by FTIR, PCA-LDA analysis, and a physics-based computational model, *Talanta*, <https://doi.org/10.1016/j.talanta.2018.04.083>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

The classification of lung cancers and their degree of malignancy by FTIR, PCA-LDA analysis, and a physics-based computational model

Kaznowska E.^{a,b1}, Depciuch J.^{c1*}, Łach K.^d, Kołodziej M.^{e,f}, Koziorowska A.^{g,h}, Vongsivut J.ⁱ, Zawlik I.^{a,j}, Cholewa M.^k, and Cebulski J.^k

^aLaboratory of Molecular Biology, Centre for Innovative Research in Medical and Natural Sciences, Faculty of Medicine, University of Rzeszow, Warzywna 1a, 35-959 Rzeszow, Poland.

^bDepartment of Human Histology, Chair of Morphological Sciences, Faculty of Medicine, University of Rzeszow, Kopisto 2a, 35-959 Rzeszow, Poland.

^cInstitute of Nuclear Physics Polish Academy of Sciences, PL-31342 Krakow, Poland.

^dFaculty of Medicine, University of Rzeszow, Rzeszow, Poland.

^eInstitute of Nursing and Health Sciences, Faculty of Medicine, University of Rzeszow, Kopisto 2a, 35-959 Rzeszow, Poland.

^fMonash Biomedical Imaging, Monash University, Clayton, Victoria 3800, Australia.

^gFaculty of Mathematics and Natural Sciences, Laboratory of Bioelectromagnetism, University of Rzeszow, Pigionia 1, 35-959 Rzeszow, Poland.

^hFaculty of Biotechnology, Laboratory of Bioelectromagnetism, University of Rzeszow, ul. Pigionia 1, 35-959 Rzeszow, Poland.

ⁱAustralian Synchrotron, 800 Blackburn Road, Clayton, Victoria 3168, Australia.

^jDepartment of Genetics, Chair of Molecular Medicine, Faculty of Medicine, University of Rzeszow, Kopisto 2a, 35-959 Rzeszow, Poland.

^kCentre for Innovation and Transfer of Natural Sciences and Engineering Knowledge, University of Rzeszow, Pigionia 1, 35-959 Rzeszow, Poland.

*Corresponding author. joannadepciuch@gmail.com

ABSTRACT

Lung cancer has the highest mortality rate of all malignant tumours. The current effects of cancer treatment, as well as its diagnostics, are unsatisfactory. Therefore it is very important to introduce modern diagnostic tools, which will allow for rapid classification of

¹ Equal first author.

Download English Version:

<https://daneshyari.com/en/article/7676032>

Download Persian Version:

<https://daneshyari.com/article/7676032>

[Daneshyari.com](https://daneshyari.com)