

Author's Accepted Manuscript

Separation and Preconcentration of Actinides from Concentrated Nitric Acid by Extraction Chromatography in Microsystems

Marion Losno, Julien Pellé, Mylène Marie, Ivan Ferrante, René Brennetot, Stéphanie Descroix, Clarisse Mariet



www.elsevier.com/locate/talanta

PII: S0039-9140(18)30382-5
DOI: <https://doi.org/10.1016/j.talanta.2018.04.036>
Reference: TAL18575

To appear in: *Talanta*

Received date: 11 January 2018
Revised date: 28 March 2018
Accepted date: 8 April 2018

Cite this article as: Marion Losno, Julien Pellé, Mylène Marie, Ivan Ferrante, René Brennetot, Stéphanie Descroix and Clarisse Mariet, Separation and Preconcentration of Actinides from Concentrated Nitric Acid by Extraction Chromatography in Microsystems, *Talanta*, <https://doi.org/10.1016/j.talanta.2018.04.036>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Separation and Preconcentration of Actinides from Concentrated Nitric Acid by Extraction
Chromatography in Microsystems**

**Marion Losno^a, Julien Pellé^a, Mylène Marie^a, Ivan Ferrante^b, René Brennetot^a, Stéphanie
Descroix^b, Clarisse Mariet^{a,*}**

^aDen - Service d'Etudes Analytiques et de Réactivité des Surfaces (SEARS), CEA, Université Paris-Saclay, F-91191, Gif sur Yvette, France

^bMMBM Group, Institut Curie Research Center, CNRS UMR 168, Paris, France

* Corresponding author. Tel : +33 (0)1 69 08 49 60 FAX: +33 (0)1 69 08 94 75, E-mail clarisse.mariet@cea.fr

Abstract

An original method of monolith impregnation in microsystem for the analysis of radionuclides in nitric acid is reported. Three microcolumns made of monolith poly(AMA-co-EDMA) were impregnated in COC microsystems. The robustness of the microsystems in nitric acid media until 8 M was demonstrated. High exchange capacity and affinity for tetravalent and hexavalent actinides in concentrated nitric media were obtained. The retention characteristics of the microcolumns impregnated by TBP, TBP-CMPO and DAAP were compared with those of the equivalent commercial particulate resins TBPTM, TRUTM and UTEVATM respectively. The separation of U, Th and Eu was validated in a classical microsystem and a procedure is proposed in a centrifugal microsystem.

Download English Version:

<https://daneshyari.com/en/article/7677135>

Download Persian Version:

<https://daneshyari.com/article/7677135>

[Daneshyari.com](https://daneshyari.com)