

Blind column selection protocol for two-dimensional high performance liquid chromatography

Niki K. Burns, Luke M. Andrighetto, Xavier A. Conlan, Stuart D. Purcell, Neil W. Barnett, Jacquie Denning, Paul S. Francis, Paul G. Stevenson



www.elsevier.com/locate/talanta

PII: S0039-9140(16)30183-7
DOI: <http://dx.doi.org/10.1016/j.talanta.2016.03.056>
Reference: TAL16437

To appear in: *Talanta*

Received date: 18 January 2016
Revised date: 15 March 2016
Accepted date: 16 March 2016

Cite this article as: Niki K. Burns, Luke M. Andrighetto, Xavier A. Conlan, Stuart D. Purcell, Neil W. Barnett, Jacquie Denning, Paul S. Francis and Paul G. Stevenson, Blind column selection protocol for two-dimensional high performance liquid chromatography, *Talanta*, <http://dx.doi.org/10.1016/j.talanta.2016.03.056>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Blind column selection protocol for two-dimensional high performance liquid chromatography

Niki K. Burns^{a,†}, Luke M. Andrighetto^{a,†}, Xavier A. Conlan^a, Stuart D. Purcell^c,
Neil W. Barnett^a, Jacquie Denning^b, Paul S. Francis^a, and Paul G. Stevenson^{a,*}

Accepted manuscript

Download English Version:

<https://daneshyari.com/en/article/7677887>

Download Persian Version:

<https://daneshyari.com/article/7677887>

[Daneshyari.com](https://daneshyari.com)