

Optimization of ultrasonic cell grinder extraction of anthocyanins from blueberry using response surface methodology

Hai-Long Jiang, Jun-Li Yang, Yan-Ping Shi

PII: S1350-4177(16)30200-0
DOI: http://dx.doi.org/10.1016/j.ultsonch.2016.06.003
Reference: ULTSON 3260

To appear in: *Ultrasonics Sonochemistry*

Received Date: 21 March 2016
Revised Date: 1 June 2016
Accepted Date: 1 June 2016

Please cite this article as: H-L. Jiang, J-L. Yang, Y-P. Shi, Optimization of ultrasonic cell grinder extraction of anthocyanins from blueberry using response surface methodology, *Ultrasonics Sonochemistry* (2016), doi: http://dx.doi.org/10.1016/j.ultsonch.2016.06.003

Optimization of ultrasonic cell grinder extraction of anthocyanins from blueberry using response surface methodology

Hai-Long Jiang [a,b], Jun-Li Yang [a *], Yan-Ping Shi [a *]

[a] Key Laboratory of Chemistry of Northwestern Plant Resources of CAS and Key Laboratory for Natural Medicine of Gansu Province, Lanzhou Institute of Chemical Physics, Chinese Academy of Sciences (CAS), Lanzhou 730000, P R China;

[b] University of Chinese Academy of Sciences, Beijing 100039, P. R. China

*Corresponding author. Tel.: +86 931 4968208; fax: +86 931 4968094. E-mail: yangjl@licp.cas.cn (J.-L. Yang) and shiyp@licp.cas.cn (Y.-P. Shi).