

Accepted Manuscript

Simulation of Lead-Acid Battery Using Model Order Reduction

Vahid Esfahanian , Amir Babak Ansari , Farschad Torabi



PII: S0378-7753(14)02188-0

DOI: [10.1016/j.jpowsour.2014.12.149](https://doi.org/10.1016/j.jpowsour.2014.12.149)

Reference: POWER 20428

To appear in: *Journal of Power Sources*

Received Date: 24 September 2014

Revised Date: 9 December 2014

Accepted Date: 30 December 2014

Please cite this article as: V. Esfahanian, A.B. Ansari, F. Torabi, Simulation of Lead-Acid Battery Using Model Order Reduction, *Journal of Power Sources* (2015), doi: 10.1016/j.jpowsour.2014.12.149.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Research Highlights

- An ROM is developed for lead-acid cell using POD method.
- The procedure of obtaining the ROM is presented in a systematic manner.
- One-dimensional lead-acid cell is simulated using ROM based on POD.
- Two different methodologies are presented to obtain the Proper orthogonal modes.
- Accurate numerical results along with a speed-up factor of 10 are obtained.

Download English Version:

<https://daneshyari.com/en/article/7733094>

Download Persian Version:

<https://daneshyari.com/article/7733094>

[Daneshyari.com](https://daneshyari.com)