
### Accepted Manuscript

Vanadium pentacyanonitrosylmolybdate-based magnet exhibiting a high magnetic ordering temperature of 200 K

Shin-ichi Ohkoshi, Kosuke Nakagawa, Ryo Yamada, Miho Takemura, Noriaki Ozaki, Keisuke Tomono, Kenta Imoto, Koji Nakabayashi, Hiroko Tokoro, Takeyoshi Taguchi, Kohei Okamoto, Tomoya Ogino, Masaya Komine



PII: S1387-7003(17)30979-6

DOI: https://doi.org/10.1016/j.inoche.2018.01.025

Reference: INOCHE 6879

To appear in: Inorganic Chemistry Communications

Received date: 30 December 2017 Revised date: 26 January 2018 Accepted date: 31 January 2018

Please cite this article as: Shin-ichi Ohkoshi, Kosuke Nakagawa, Ryo Yamada, Miho Takemura, Noriaki Ozaki, Keisuke Tomono, Kenta Imoto, Koji Nakabayashi, Hiroko Tokoro, Takeyoshi Taguchi, Kohei Okamoto, Tomoya Ogino, Masaya Komine, Vanadium pentacyanonitrosylmolybdate-based magnet exhibiting a high magnetic ordering temperature of 200 K. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Inoche(2017), https://doi.org/10.1016/j.inoche.2018.01.025

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## **ACCEPTED MANUSCRIPT**

# Vanadium Pentacyanonitrosylmolybdate-based Magnet Exhibiting a High Magnetic Ordering Temperature of 200 K

Shin-ichi Ohkoshi, \*<sup>1</sup> Kosuke Nakagawa, <sup>1</sup> Ryo Yamada, <sup>1</sup> Miho Takemura, <sup>1</sup> Noriaki Ozaki, <sup>1</sup> Keisuke Tomono, <sup>1</sup> Kenta Imoto, <sup>1</sup> Koji Nakabayashi, <sup>1</sup> Hiroko Tokoro <sup>1,2</sup>, Takeyoshi Taguchi, <sup>3</sup> Kohei Okamoto, <sup>1</sup> Tomoya Ogino, <sup>1</sup> and Masaya Komine<sup>1</sup>

<sup>1</sup>Department of Chemistry, School of Science, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku,

Tokyo 113-0033

<sup>2</sup>Division of Materials Science, Faculty of Pure and Applied Sciences, University of Tsukuba,

1-1-1 Tennodai, Tsukuba, Ibaraki 305-8577

<sup>3</sup>X-ray Analysis Division, Rigaku Corporation, 3-9-12 Matsubaracho, Akishima-shi, Tokyo 196-8666

\*Correspondence should be addressed to S. O

E-mail: ohkoshi@chem.s.u-tokyo.ac.jp

#### Download English Version:

## https://daneshyari.com/en/article/7748504

Download Persian Version:

https://daneshyari.com/article/7748504

<u>Daneshyari.com</u>