

Accepted Manuscript

Heterometallic Copper(II)–lead(II), nickel(II)–lead(II) and copper(II)–indium(III) compounds derived from an acyclic double-compartment Schiff base ligand

Sagarika Bhattacharya, Sasankasekhar Mohanta


PII: S0020-1693(15)00190-5
DOI: <http://dx.doi.org/10.1016/j.ica.2015.03.041>
Reference: ICA 16495

To appear in: *Inorganica Chimica Acta*

Received Date: 14 December 2014
Revised Date: 20 March 2015
Accepted Date: 28 March 2015

Please cite this article as: S. Bhattacharya, S. Mohanta, Heterometallic Copper(II)–lead(II), nickel(II)–lead(II) and copper(II)–indium(III) compounds derived from an acyclic double-compartment Schiff base ligand, *Inorganica Chimica Acta* (2015), doi: <http://dx.doi.org/10.1016/j.ica.2015.03.041>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



1 **Heterometallic Copper(II)–lead(II), nickel(II)–lead(II) and**
2 **copper(II)–indium(III) compounds derived from an acyclic double-**
3 **compartment Schiff base ligand**

4

5 **Sagarika Bhattacharya, Sasankasekhar Mohanta***

6

7 *Department of Chemistry, University of Calcutta, 92 A. P. C. Road, Kolkata 700 009,*

8 *India*

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

Download English Version:

<https://daneshyari.com/en/article/7751253>

Download Persian Version:

<https://daneshyari.com/article/7751253>

[Daneshyari.com](https://daneshyari.com)