


Two different types of channels exhibiting distinct proton transport behavior in an open-framework aluminophosphate

Chen Xue, Yang Zou, Shao-Xian Liu, Xiao-Ming Ren, Zheng-Fang Tian



PII: S0022-4596(17)30488-7
DOI: <http://dx.doi.org/10.1016/j.jssc.2017.11.041>
Reference: YJSSC20041

To appear in: *Journal of Solid State Chemistry*

Received date: 1 November 2017
Revised date: 28 November 2017
Accepted date: 29 November 2017

Cite this article as: Chen Xue, Yang Zou, Shao-Xian Liu, Xiao-Ming Ren and Zheng-Fang Tian, Two different types of channels exhibiting distinct proton transport behavior in an open-framework aluminophosphate, *Journal of Solid State Chemistry*, <http://dx.doi.org/10.1016/j.jssc.2017.11.041>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Two different types of channels exhibiting distinct proton transport behavior in an open-framework aluminophosphate

Chen Xue,^a Yang Zou,^{*a} Shao-Xian Liu, Xiao-Ming Ren,^{*a,b,c} Zheng-Fang Tian^d

^a State Key Laboratory of Materials-Oriented Chemical Engineering and College of Chemistry and Molecular Engineering, Nanjing Tech University, Nanjing 210009, P. R. China

^b College of Materials Science and Engineering, Nanjing Tech University, Nanjing 210009, P. R. China

^c State Key Laboratory of Coordination Chemistry, Nanjing University 210093, P. R. China


^d Hubei Key Laboratory for Processing and Application of Catalytic Materials, Huanggang Normal University, Huanggang 438000, P. R. China

Tel.: +86 25 58139476

Fax: +86 25 58139481

Email: zouyang@njtech.edu.cn (Y. Zou), xmren@njtech.edu.cn (X.-M. Ren)

Graphical abstract



An open-framework aluminophosphate possesses two distinct types of channels, and two types of channels show rather different proton transport behaviors.

Abstract

Download English Version:

<https://daneshyari.com/en/article/7758000>

Download Persian Version:

<https://daneshyari.com/article/7758000>

[Daneshyari.com](https://daneshyari.com)