

Accepted Manuscript

Squaramides as novel class I and IIB histone deacetylase inhibitors for topical treatment of cutaneous t-cell lymphoma

Jean-François Fournier, Yushma Bhurruth-Alcor, Branislav Musicki, Jérôme Aubert, Michèle Aurelly, Claire Bouix-Peter, Karinne Bouquet, Laurent Chantalat, Marion Delorme, Bénédicte Drean, Gwenaëlle Duvert, Nicolas Fleury-Bregeot, Blanche Gauthier, Karine Grisendi, Craig S. Harris, Laurent F. Hennequin, Tatiana Isabet, Florence Joly, Guillaume Lafitte, Corinne Millois, Rémy Morgentintin, Jonathan Pascau, David Piwnica, Yves Rival, Catherine Soulet, Étienne Thoreau, Loïc Tomas



PII: S0960-894X(18)30518-3
DOI: <https://doi.org/10.1016/j.bmcl.2018.06.029>
Reference: BMCL 25910

To appear in: *Bioorganic & Medicinal Chemistry Letters*

Received Date: 27 March 2018
Revised Date: 26 April 2018
Accepted Date: 15 June 2018

Please cite this article as: Fournier, J-F., Bhurruth-Alcor, Y., Musicki, B., Aubert, J., Aurelly, M., Bouix-Peter, C., Bouquet, K., Chantalat, L., Delorme, M., Drean, B., Duvert, G., Fleury-Bregeot, N., Gauthier, B., Grisendi, K., Harris, C.S., Hennequin, L.F., Isabet, T., Joly, F., Lafitte, G., Millois, C., Morgentintin, R., Pascau, J., Piwnica, D., Rival, Y., Soulet, C., Thoreau, E., Tomas, L., Squaramides as novel class I and IIB histone deacetylase inhibitors for topical treatment of cutaneous t-cell lymphoma, *Bioorganic & Medicinal Chemistry Letters* (2018), doi: <https://doi.org/10.1016/j.bmcl.2018.06.029>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Graphical Abstract

To create your abstract, type over the instructions in the template box below.
 Fonts or abstract dimensions should not be changed or altered.

Squaramides as novel class I and IIB histone deacetylase inhibitors for topical treatment of cutaneous t-cell lymphoma.


Leave this area blank for abstract info.

Jean-François Fournier^{a,*}, Yushma Bhurruth-Alcor^a, Branislav Musicki^a, Jérôme Aubert^a, Michèle Aurelly^a, Claire Bouix-Peter^a, Karinne Bouquet^a, Laurent Chantalat^a, Marion Delorme^a, Bénédicte Drean^a, Gwenaëlle Duvert^a, Nicolas Fleury-Bregeot^b, Blanche Gauthier^a, Karine Grisendi^a, Craig S. Harris^a, Laurent F. Hennequin^a, Tatiana Isabet^c, Florence Joly^a, Guillaume Lafitte^a, Corinne Millois^a, Rémy Morgentin^b, Jonathan Pascau^a, David Piwnica^a, Yves Rival^a, Catherine Soulet^a, Étienne Thoreau^a, and Loïc Tomas^a

^a Nestlé Skin Health R&D, 2400 Route des colles, BP 87, 06902 Sophia-Antipolis Cedex, France

^b Edelris, 115 Avenue Lacassagne, 69003 Lyon, France

^c Synchrotron Soleil, L'Orme des Merisiers, Saint-Aubin - BP 48, 91192 Gif-sur-Yvette Cedex, France.



Download English Version:

<https://daneshyari.com/en/article/7778025>

Download Persian Version:

<https://daneshyari.com/article/7778025>

[Daneshyari.com](https://daneshyari.com)