

Accepted Manuscript

Title: Preparation of low molecular weight heparins from bovine and ovine heparins using nitrous acid degradation

Authors: Shaoshuai Xie, Yudong Guan, Peipei Zhu, Fei Li, Mengqi Yu, Robert J. Linhardt, Lianli Chi, Lan Jin



PII: S0144-8617(18)30624-6
DOI: <https://doi.org/10.1016/j.carbpol.2018.05.070>
Reference: CARP 13652

To appear in:

Received date: 22-1-2018
Revised date: 28-4-2018
Accepted date: 24-5-2018

Please cite this article as: Xie, Shaoshuai., Guan, Yudong., Zhu, Peipei., Li, Fei., Yu, Mengqi., Linhardt, Robert J., Chi, Lianli., & Jin, Lan., Preparation of low molecular weight heparins from bovine and ovine heparins using nitrous acid degradation. *Carbohydrate Polymers* (2018), <https://doi.org/10.1016/j.carbpol.2018.05.070>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Preparation of low molecular weight heparins from bovine and ovine heparins using nitrous acid degradation

Shaoshuai Xie^a, Yudong Guan^b, Peipei Zhu^a, Fei Li^a, Mengqi Yu^a, Robert J. Linhardt^c, Lianli Chi^{a,*}, Lan Jin^{a,*}

^a National Glycoengineering Research Center, Shandong University, Jinan 250100, China

^b Institute for Clinical Chemistry, University Medical Center Hamburg-Eppendorf, Hamburg 20246, Germany.

^c Center for Biotechnology and Interdisciplinary Studies, Rensselaer Polytechnic Institute, Troy, New York 12180, U.S.A.

Prepared for *Carbohydrate Polymers*, January, 2018

Correspondence to: L. Chi; e-mail: lianlichi@sdu.edu.cn, L. Jin; e-mail: lanjin@sdu.edu.cn

Highlights

- Bovine lung and ovine intestine LMWHs were produced and characterized.
- Key processing conditions were adjusted in reflect to different starting materials.
- Bioequivalent LMWHs may be produced from non-porcine heparins.

ABSTRACT

Download English Version:

<https://daneshyari.com/en/article/7781613>

Download Persian Version:

<https://daneshyari.com/article/7781613>

[Daneshyari.com](https://daneshyari.com)