

Accepted Manuscript

Title: Degradation properties of Chitosan
Microspheres/Poly(L-lactic acid) Composite *in vitro* and *in vivo*

Authors: Zhenzhao Guo, Dongying Bo, Yuan He, Xueshi Luo,
Hong Li



PII: S0144-8617(18)30331-X
DOI: <https://doi.org/10.1016/j.carbpol.2018.03.067>
Reference: CARP 13417

To appear in:

Received date: 25-1-2018
Revised date: 28-2-2018
Accepted date: 19-3-2018

Please cite this article as: Guo, Zhenzhao., Bo, Dongying., He, Yuan., Luo, Xueshi., & Li, Hong., Degradation properties of Chitosan Microspheres/Poly(L-lactic acid) Composite *in vitro* and *in vivo*. *Carbohydrate Polymers* <https://doi.org/10.1016/j.carbpol.2018.03.067>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Degradation properties of Chitosan Microspheres/Poly(L-lactic acid) Composite *in vitro* and *in vivo*

Zhenzhao Guo^{a,b}, Dongying Bo^{a,c}, Yuan He^a, Xueshi Luo^a, Hong Li^{a,*}

^a Department of Materials Science and Engineering, Jinan University, Guangzhou 510632, China

^b The First Affiliated Hospital of Jinan University, Guangzhou 510630, China

^c School of Mechanics and Construction Engineering, Jinan University, Guangzhou 510632, China

E-mail address: Zhenzhao Guo: guozhenzhao2008@126.com;

Dongying Bo: 287065605@qq.com;

Yuan He: 673356998@qq.com;

Xueshi Luo: 1254914942@qq.com;

Hong Li: tlihong@jnu.edu.cn.

***Corresponding author:** Department of Materials Science and Engineering, Jinan University, 601 W Huangpu Ave, Guangzhou 510632, China. Phone: +86 20 85223062. E-mail: tlihong@jnu.edu.cn

Highlights:

- •The PLLA/CSMs composites with hierarchical interconnected pores were fabricated.
- •The incorporation of CSMs to the PLLA matrices buffered the pH during degradation *in vitro*.
- •The degradation behavior of the composites could be tuned by CSMs *in vitro* and *in vivo*.

Download English Version:

<https://daneshyari.com/en/article/7782454>

Download Persian Version:

<https://daneshyari.com/article/7782454>

[Daneshyari.com](https://daneshyari.com)