

Accepted Manuscript

Title: Cashew gum and inulin: new alternative for ginger essential oil microencapsulation

Author: Regiane Victória de Barros Fernandes Diego
Alvarenga Botrel Eric Keven Silva Soraia Vilela Borges
Cassiano Rodrigues de Oliveira Maria Irene Yoshida Judith
Pessoa de Andrade Feitosa Regina Célia Monteiro de Paula



PII: S0144-8617(16)30894-3
DOI: <http://dx.doi.org/doi:10.1016/j.carbpol.2016.07.096>
Reference: CARP 11395

To appear in:

Received date: 13-5-2016
Revised date: 21-7-2016
Accepted date: 22-7-2016

Please cite this article as: de Barros Fernandes, Regiane Victória., Botrel, Diego Alvarenga., Silva, Eric Keven., Borges, Soraia Vilela., de Oliveira, Cassiano Rodrigues., Yoshida, Maria Irene., de Andrade Feitosa, Judith Pessoa., & de Paula, Regina Célia Monteiro., Cashew gum and inulin: new alternative for ginger essential oil microencapsulation. *Carbohydrate Polymers* <http://dx.doi.org/10.1016/j.carbpol.2016.07.096>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Cashew gum and inulin: new alternative for ginger essential oil
microencapsulation**

Regiane Victória de Barros Fernandes^{a*}, Diego Alvarenga Botrel^a, Eric Keven Silva^b,
Soraia Vilela Borges^a, Cassiano Rodrigues de Oliveira^c, Maria Irene Yoshida^d, Judith
Pessoa de Andrade Feitosa^e, Regina Célia Monteiro de Paula^e

^a Food Science Department, Federal University of Lavras, 37200-000, Lavras, MG,
Brazil.

^b LASEFI/DEA/FEA (School of Food Engineering)/UNICAMP (University of
Campinas).

^c Institute of Exact Sciences, Campus de Rio Paranaíba, Federal University of Viçosa,
38810-000, Rio Paranaíba, MG, Brazil.

^d Chemistry Department, Federal University of Minas Gerais, 31270-901 Belo
Horizonte, MG, Brazil.

^e Organic and Inorganic Chemistry Department, Federal University of Ceará, 60455-760
Fortaleza, CE, Brazil

*Author correspondent: regiane.botrel@dqi.ufla.br. Tel.: +55 35 38294610

HIGHLIGHTS

- Solubility of particles using inulin was higher
- The encapsulation efficiency was lower at the highest inulin concentration
- The cashew gum and inulin matrix(3:1(w/w) ratio) showed no cracks in the structure
- Cashew gum is an alternative wall material for spray drying process

Download English Version:

<https://daneshyari.com/en/article/7785088>

Download Persian Version:

<https://daneshyari.com/article/7785088>

[Daneshyari.com](https://daneshyari.com)