

Accepted Manuscript

Title: Preparation of succinylated cellulose membranes for functionalization purposes

Author: Renato M. Ribeiro-Viana Paula C.S. Faria-Tischer
Cesar A. Tischer



PII: S0144-8617(16)30394-0
DOI: <http://dx.doi.org/doi:10.1016/j.carbpol.2016.04.033>
Reference: CARP 10973

To appear in:

Received date: 24-11-2015
Revised date: 6-4-2016
Accepted date: 9-4-2016

Please cite this article as: Ribeiro-Viana, Renato M., Faria-Tischer, Paula CS., & Tischer, Cesar A., Preparation of succinylated cellulose membranes for functionalization purposes. *Carbohydrate Polymers* <http://dx.doi.org/10.1016/j.carbpol.2016.04.033>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Original full-length research paper

Preparation of succinylated cellulose membranes for functionalization purposes

Renato M. Ribeiro-Viana^a, Paula C. S. Faria-Tischer^b, Cesar A. Tischer^{a*}

^a Departamento de Bioquímica e Biotecnologia, Universidade Estadual de Londrina – UEL, CEP 86051-980, Londrina, PR, Brazil – email address: renato.ribeiro@pq.cnpq.br

^b Departamento de Química, Universidade Estadual de Londrina – UEL, CEP 86051-980, Londrina, PR, Brazil – email address: paula.tischer@pq.cnpq.br

* Corresponding author: E-mail address: cesar.tischer@uel.br

Tel.: +55 43 3371-5470; fax: +55 43 3371-4270

Universidade Estadual de Londrina – UEL

Departamento de Bioquímica e Biotecnologia – CCE

Rodovia Celso Garcia Cid, PR445 Km 380 - Campus Universitário

Cx. Postal 10.011. CEP 86057-970.

Londrina - PR – Brazil

Highlights

- Succinylation of cellulose is achieved with minimal interference on membrane structure
- Chemical modification took place mainly on the surface of membrane
- Carboxyls appended on the membrane permitted a functionalization with a protein

Download English Version:

<https://daneshyari.com/en/article/7785553>

Download Persian Version:

<https://daneshyari.com/article/7785553>

[Daneshyari.com](https://daneshyari.com)