Accepted Manuscript

Title: Adsorption Properties of Cross-linked

Cellulose-Epichlorohydrin Polymers in Aqueous Solution

Author: Inimfon A. Udoetok Raquel M. Dimmick Lee D.

Wilson John V. Headley

PII: S0144-8617(15)00888-7

DOI: http://dx.doi.org/doi:10.1016/j.carbpol.2015.09.032


Reference: CARP 10334

To appear in:

Received date: 23-5-2015 Revised date: 5-9-2015 Accepted date: 10-9-2015

Please cite this article as: <doi>http://dx.doi.org/10.1016/j.carbpol.2015.09.032</doi>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

1	Adsorption Properties of Cross-linked Cellulose-Epichlorohydrin Polymers in Aqueous
2	Solution
3	
4	
5	Inimfon A. Udoetok ¹ ; Raquel M. Dimmick ¹ ; Lee D. Wilson ¹ ; John V. Headley ²
6	
7	¹ Department of Chemistry, University of Saskatchewan, 110 Science Place, Saskatoon,
8	Saskatchewan, S7N 5C9
9	² Water Science and Technology Directorate, Environment Canada, 11 Innovation Boulevard,
10	Saskatoon, Saskatchewan, S7N 3H5
11	
13	
14	*Corresponding Author: L. D. Wilson, Tel. +1-306-966-2961, Fax. +1-306-966-4730,
15	Email: lee.wilson@usask.ca
16	
17	Abstract
18	Cellulose was cross-linked with epichlorohydrin (EP) at variable levels (CLE-0.5, CLE-2 and
19	CLE-4), where CLE-i denotes the cellulose to EP mole ratios. The cross-linked products were

Download English Version:

https://daneshyari.com/en/article/7786460

Download Persian Version:

https://daneshyari.com/article/7786460

<u>Daneshyari.com</u>