

# Accepted Manuscript

Lithium hydride as an efficient reagent for the preparation of 1,2-anhydro inositols:  
Does the reaction proceed through 'axial rich' conformation?

Nitai Sarkar, Richa S. Sardesai, Mysore S. Shashidhar, Majid I. Tamboli, Rajesh G.  
Gonnade



PII: S0008-6215(18)30177-0

DOI: [10.1016/j.carres.2018.04.014](https://doi.org/10.1016/j.carres.2018.04.014)

Reference: CAR 7559

To appear in: *Carbohydrate Research*


Received Date: 23 March 2018

Revised Date: 20 April 2018

Accepted Date: 25 April 2018

Please cite this article as: N. Sarkar, R.S. Sardesai, M.S. Shashidhar, M.I. Tamboli, R.G. Gonnade, Lithium hydride as an efficient reagent for the preparation of 1,2-anhydro inositols: Does the reaction proceed through 'axial rich' conformation?, *Carbohydrate Research* (2018), doi: 10.1016/j.carres.2018.04.014.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Graphical Abstract**

Inositol derived *trans*-diequatorial halohydrins cyclize to yield the corresponding epoxides in the presence of lithium hydride.

Download English Version:

<https://daneshyari.com/en/article/7793653>

Download Persian Version:

<https://daneshyari.com/article/7793653>

[Daneshyari.com](https://daneshyari.com)