

# Accepted Manuscript

Hedgehog pathway inhibitors of the acylthiourea and acylguanidine class show antitumor activity on colon cancer in vitro and in vivo

Loredana Vesci, Ferdinando Maria Milazzo, Maria Antonietta Stasi, Silvia Pace, Francesco Manera, Carlo Tallarico, Elena Cini, Elena Petricci, Fabrizio Manetti, Rita De Santis, Giuseppe Giannini

PII: S0223-5234(18)30619-6

DOI: [10.1016/j.ejmech.2018.07.053](https://doi.org/10.1016/j.ejmech.2018.07.053)

Reference: EJMECH 10588

To appear in: *European Journal of Medicinal Chemistry*

Received Date: 7 June 2018


Revised Date: 19 July 2018

Accepted Date: 22 July 2018


Please cite this article as: L. Vesci, F.M. Milazzo, M.A. Stasi, S. Pace, F. Manera, C. Tallarico, E. Cini, E. Petricci, F. Manetti, R. De Santis, G. Giannini, Hedgehog pathway inhibitors of the acylthiourea and acylguanidine class show antitumor activity on colon cancer in vitro and in vivo, *European Journal of Medicinal Chemistry* (2018), doi: 10.1016/j.ejmech.2018.07.053.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**5**

Luc inhibition (Shh-lightII cells):  $IC_{50} = 20$  nM  
ALP inhibition (C3H10T1/2 cells):  $IC_{50} = 40$  nM  
Growth inhibition (LS180 cells):  $EC_{50} = 2.5$   $\mu$ M  
Growth inhibition (HT1080 cells):  $EC_{50} = 2.0$   $\mu$ M  
Good PK parameters



Download English Version:

<https://daneshyari.com/en/article/7795897>

Download Persian Version:

<https://daneshyari.com/article/7795897>

[Daneshyari.com](https://daneshyari.com)