

# Accepted Manuscript

Discovery of a potent glucokinase activator with a favorable liver and pancreas distribution pattern for the treatment of type 2 diabetes mellitus

Hiroki Fujieda, Masakazu Kogami, Masao Sakairi, Noriyasu Kato, Mitsuhiro Makino, Naoki Takahashi, Toshiyuki Miyazawa, Satoko Harada, Tokuyuki Yamashita



PII: S0223-5234(18)30551-8

DOI: [10.1016/j.ejmech.2018.06.060](https://doi.org/10.1016/j.ejmech.2018.06.060)

Reference: EJMECH 10530

To appear in: *European Journal of Medicinal Chemistry*


Received Date: 26 March 2018

Revised Date: 22 June 2018

Accepted Date: 23 June 2018

Please cite this article as: H. Fujieda, M. Kogami, M. Sakairi, N. Kato, M. Makino, N. Takahashi, T. Miyazawa, S. Harada, T. Yamashita, Discovery of a potent glucokinase activator with a favorable liver and pancreas distribution pattern for the treatment of type 2 diabetes mellitus, *European Journal of Medicinal Chemistry* (2018), doi: 10.1016/j.ejmech.2018.06.060.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/7795967>

Download Persian Version:

<https://daneshyari.com/article/7795967>

[Daneshyari.com](https://daneshyari.com)