## **Accepted Manuscript**

Synthesis and antileishmanial activity of C7- and C12-Functionalized dehydroabietylamine derivatives

M. Auxiliadora Dea-Ayuela, Pablo Bilbao-Ramos, Francisco Bolás-Fernández, Miguel A. González-Cardenete

PII: S0223-5234(16)30481-0

DOI: 10.1016/j.ejmech.2016.06.004

Reference: EJMECH 8665

To appear in: European Journal of Medicinal Chemistry

Received Date: 8 February 2016


Revised Date: 17 May 2016 Accepted Date: 3 June 2016

Please cite this article as: M.A. Dea-Ayuela, P. Bilbao-Ramos, F. Bolás-Fernández, M.A. González-Cardenete, Synthesis and antileishmanial activity of C7- and C12-Functionalized dehydroabietylamine derivatives, *European Journal of Medicinal Chemistry* (2016), doi: 10.1016/j.ejmech.2016.06.004.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## ACCEPTED MANUSCRIPT



L. amazonensis IC $_{50}$ = 3.5  $\mu$ M (SI> 57) L. amazonensis IC $_{50}$ = 3.0  $\mu$ M (SI> 67) L. infantum EC $_{50}$ = 3.3  $\mu$ M (SI> 61) L. infantum EC $_{50}$ = 2.5  $\mu$ M (SI> 80)

## Download English Version:

## https://daneshyari.com/en/article/7798335

Download Persian Version:

https://daneshyari.com/article/7798335

Daneshyari.com