Accepted Manuscript

Hybrid Compounds with Two Redox Centres: Modular Synthesis of Chalcogen-Containing Lapachones and Studies on their Antitumor Activity

André A. Vieira, Igor R. Brandão, Wagner O. Valença, Carlos A. de Simone, Bruno C. Cavalcanti, Claudia Pessoa, Teiliane R. Carneiro, Prof. Antonio L. Braga, Prof. Eufrânio N. da Silva, Júnior

PII: S0223-5234(15)30119-7

DOI: 10.1016/j.ejmech.2015.06.044

Reference: EJMECH 7971

To appear in: European Journal of Medicinal Chemistry

Received Date: 11 February 2015

Revised Date: 20 June 2015

Accepted Date: 22 June 2015


Please cite this article as: A.A. Vieira, I.R. Brandão, W.O. Valença, C.A. de Simone, B.C. Cavalcanti, C. Pessoa, T.R. Carneiro, A.L. Braga, E.N. da SilvaJúnior, Hybrid Compounds with Two Redox Centres: Modular Synthesis of Chalcogen-Containing Lapachones and Studies on their Antitumor Activity, *European Journal of Medicinal Chemistry* (2015), doi: 10.1016/j.ejmech.2015.06.044.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Graphical abstract

Chalcogen-containing β -lapachone derivatives were designed and synthesized using a straightforward methodology and evaluated against several human cancer cell lines showing, in some cases, IC₅₀ values below 1 μ M.



Download English Version:

https://daneshyari.com/en/article/7799363

Download Persian Version:

https://daneshyari.com/article/7799363

Daneshyari.com