

Accepted Manuscript

Poly(aspartic acid) hydrogels showing reversible volume change upon redox stimulus

Enikő Krisch, Benjámín Gyarmati, Dóra Barczikai, Véronique Lapeyre, Barnabás Áron Szilágyi, Valérie Ravaine, András Szilágyi

PII: S0014-3057(18)30466-X

DOI: <https://doi.org/10.1016/j.eurpolymj.2018.06.011>

Reference: EPJ 8447

To appear in: *European Polymer Journal*

Received Date: 8 March 2018

Revised Date: 7 June 2018

Accepted Date: 10 June 2018

Please cite this article as: Krisch, E., Gyarmati, B., Barczikai, D., Lapeyre, V., Áron Szilágyi, B., Ravaine, V., Szilágyi, A., Poly(aspartic acid) hydrogels showing reversible volume change upon redox stimulus, *European Polymer Journal* (2018), doi: <https://doi.org/10.1016/j.eurpolymj.2018.06.011>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Poly(aspartic acid) hydrogels showing reversible volume change upon redox stimulus


Enikő Krisch¹, Benjámín Gyarmati¹, Dóra Barczikai¹, Véronique Lapeyre², Barnabás Áron Szilágyi¹, Valérie Ravaine², András Szilágyi^{1*}

¹Soft Matters Group, Department of Physical Chemistry and Materials Science, Budapest University of Technology and Economics, Műegyetem rkp. 3. H-1111 Budapest, Hungary
E-mail: aszilagyi@mail.bme.hu

²Université de Bordeaux, ISM, CNRS UMR 5255, Bordeaux INP, Site ENSCBP, 16 Avenue Pey Berland, 33607 Pessac Cedex, France

*corresponding author

GRAPHICAL ABSTRACT



Download English Version:

<https://daneshyari.com/en/article/7803466>

Download Persian Version:

<https://daneshyari.com/article/7803466>

[Daneshyari.com](https://daneshyari.com)