

Luminescent SiO_2 nanoparticles for cell labeling: combined water dispersion polymerization and 3D condensation controlled by oligoperoxide surfactant-initiator.

Catherine Cropper, Nataliya Mitina, Olga Klyuchivska, Khrystyna Harhay, Rostyslav Stoika, Valentina Glazunova, Zoryana Nadashkevich, Orest Hevus, Yaroslav Z. Khimyak, Alexander Zaichenko

PII: S0014-3057(18)30030-2
DOI: https://doi.org/10.1016/j.eurpolymj.2018.04.008
Reference: EPJ 8364

To appear in: *European Polymer Journal*

Received Date: 5 January 2018
Revised Date: 5 April 2018
Accepted Date: 9 April 2018

Please cite this article as: Cropper, C., Mitina, N., Klyuchivska, O., Harhay, K., Stoika, R., Glazunova, V., Nadashkevich, Z., Hevus, O., Khimyak, Y.Z., Zaichenko, A., Luminescent SiO_2 nanoparticles for cell labeling: combined water dispersion polymerization and 3D condensation controlled by oligoperoxide surfactant-initiator., *European Polymer Journal* (2018), doi: https://doi.org/10.1016/j.eurpolymj.2018.04.008

Luminescent SiO_2 nanoparticles for cell labeling: combined water dispersion polymerization and 3D condensation controlled by oligoperoxide surfactant-initiator.

Catherine Cropper[a], Nataliya Mitina[b], Olga Klyuchivska[c], Khrystyna Harhay[b], Rostyslav Stoika[c], Valentina Glazunova[d], Zoryana Nadashkevich[b], Orest Hevus[b], Yaroslav Z. Khimyak[a,e]*, Alexander Zaichenko[b*]

[a]University of Liverpool, Department of Chemistry, Crown Street, L69 7ZD, Liverpool, United Kingdom
[b]Lviv National Polytechnic University, Institute of Chemistry, Department of Organic Chemistry, Lviv 79013, Ukraine.
[c]Institute of Cell Biology of NAS of Ukraine, Department of Regulation of Cell Proliferation and Apoptosis, 79005, Lviv, Ukraine.
[d]O.O. Galkin Institute of Physics and Engineering of NAS of Ukraine, Department of Physical Materials Donetsk, Ukraine
[e]School of Pharmacy, University of East Anglia. Norwich Research Park, Norwich, 7TJ United Kingdom.

Keywords: functional oligoperoxide, graft-polymerization, siliceous nanoparticles, particle morphology, rhodamine encapsulation, cell labeling, solid state NMR

ABSTRACT: Hybrid polymer coated silica nanoparticles (NPs) were synthesized using low temperature graft (co)polymerization of trimethoxysilane propyl methacrylate (MPTS) initiated by surface-active oligoperoxide metal complex (OMC) in aqueous media. These NPs were characterized by means of kinetic, solid-state NMR, TEM and FTIR techniques. Two processes, namely the radical graft-copolymerization due to presence of double bonds and 3D polycondensation provided by the intra- or/and intermolecular interaction of organosilicic fragments, occurred simultaneously. The relative contribution of the reactions depending on initiator concentration and pH value leading to the formation of low cured polydisperse microparticles or OMC coated SiO_2 NPs of controlled curing degree was studied. The availability of free-radical forming peroxide fragments on the surface of SiO_2 NPs provides an opportunity for seeded polymerization leading to the formation of the functional polymer coated NPs with controlled particle structure, size, and functionality. Encapsulation of the luminescent dye (Rhodamine 6G) in SiO_2 core of functionalized NPs provided a noticeable increase in their resistance to photo-bleaching and improved biocompatibility. These luminescent NPs were not only attached to murine leukemia L1210 cells but also tolerated by the mammalian cells. Their potential use for labeling of the mammalian cells is considered.

TOC graphic:



* Corresponding authors. Alexander Zaichenko (zaichenk@lp.edu.ua), Yaroslav Z. Khimyak (y.khimyak@uea.ac.uk)