

Accepted Manuscript

Epoxy Toughening *via* Formation of Polyisoprene Nanophases with Amphiphilic Diblock Copolymer

Yixin Xiang, Sen Xu, Sixun Zheng

PII: S0014-3057(17)31644-0

DOI: <https://doi.org/10.1016/j.eurpolymj.2017.11.032>

Reference: EPJ 8166

To appear in: *European Polymer Journal*

Received Date: 16 September 2017

Revised Date: 30 October 2017

Accepted Date: 17 November 2017

Please cite this article as: Xiang, Y., Xu, S., Zheng, S., Epoxy Toughening *via* Formation of Polyisoprene Nanophases with Amphiphilic Diblock Copolymer, *European Polymer Journal* (2017), doi: <https://doi.org/10.1016/j.eurpolymj.2017.11.032>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Epoxy Toughening *via* Formation of Polyisoprene Nanophases with Amphiphilic Diblock Copolymer

Yixin Xiang^{1,2}, Sen Xu¹ and Sixun Zheng^{1*}

¹College of Chemistry and Chemical Engineering and the State Key Laboratory of Metal Matrix Composites, Shanghai Jiao Tong University, Shanghai 200240, P. R. China; ²College of Biological and Chemical Engineering, Anhui Polytechnic University, Wuhu 241000, P. R. China

* To whom correspondence should be addressed. Email: *szheng@sjtu.edu.cn*

Download English Version:

<https://daneshyari.com/en/article/7804022>

Download Persian Version:

<https://daneshyari.com/article/7804022>

[Daneshyari.com](https://daneshyari.com)