Accepted Manuscript

pH/Redox/photo Responsive Polymeric Micelle via Boronate Ester and Disulfide Bonds with Spiropyran-Based Photochromic Polymer for Cell Imaging and Anticancer Drug Delivery

So Yeong Lee, Hyuk Jin Lee, Insik In, Sung Young Park

PII: S0014-3057(14)00145-1
DOI: http://dx.doi.org/10.1016/j.eurpolymj.2014.04.020
Reference: EPJ 6431

To appear in: *European Polymer Journal*

Received Date: 29 January 2014
Revised Date: 17 April 2014
Accepted Date: 28 April 2014

Please cite this article as: Lee, S.Y., Lee, H.J., In, I., Park, S.Y., pH/Redox/photo Responsive Polymeric Micelle via Boronate Ester and Disulfide Bonds with Spiropyran-Based Photochromic Polymer for Cell Imaging and Anticancer Drug Delivery, *European Polymer Journal* (2014), doi: http://dx.doi.org/10.1016/j.eurpolymj.2014.04.020

pH/Redox/photo Responsive Polymeric Micelle via Boronate Ester and Disulfide Bonds with Spiropyran-Based Photochromic Polymer for Cell Imaging and Anticancer Drug Delivery

So Yeong Lee[a], Hyuk Jin Lee[b], Insik In [c], Sung Young Park[a, d]*

[a]Department of Chemical and Biological Engineering, Korea National University of Transportation, Chungju , 380-702, Republic of Korea

[b]College of Pharmacy, Ewha Womans University, Seoul , 120-750, Republic of Korea.

[c]Department of Polymer Science and Engineering, Korea National University of Transportation, Chungju , 380-702, Republic of Korea

[d]Department of IT convergence, Korea National University of Transportation, Chungju , 380-702, Republic of Korea

*Corresponding author: parkchem@ut.ac.kr

Tel,: +82-(0)43-841-5225; Fax:+82-(0)43-841-5220.