

Accepted Manuscript

Influence of the prepolymer molecular weight and free isocyanate content on the rheology of polyurethane modified bitumens

V. Carrera, A.A. Cuadri, M. García-Morales, P. Partal

PII: S0014-3057(14)00169-4

DOI: <http://dx.doi.org/10.1016/j.eurpolymj.2014.05.013>

Reference: EPJ 6447

To appear in: *European Polymer Journal*

Received Date: 13 March 2014

Revised Date: 25 April 2014

Accepted Date: 15 May 2014

Please cite this article as: Carrera, V., Cuadri, A.A., García-Morales, M., Partal, P., Influence of the prepolymer molecular weight and free isocyanate content on the rheology of polyurethane modified bitumens, *European Polymer Journal* (2014), doi: <http://dx.doi.org/10.1016/j.eurpolymj.2014.05.013>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Influence of the prepolymer molecular weight and free
isocyanate content on the rheology of polyurethane
modified bitumens**

V. Carrera, A.A. Cuadri, M. García-Morales, P. Partal[✉]

*Departamento de Ingeniería Química, Centro de Investigación en Tecnología de
Productos y Procesos Químicos (Pro²TecS), Campus de 'El Carmen', Universidad de
Huelva, 21071, Huelva (Spain)*

[✉] Author to whom correspondence should be addressed:

Dr. Pedro Partal

E-mail: partal@uhu.es

Phone: +34 959 21 99 89

Fax: +34 959 21 93 85

Download English Version:

<https://daneshyari.com/en/article/7806263>

Download Persian Version:

<https://daneshyari.com/article/7806263>

[Daneshyari.com](https://daneshyari.com)