

Inter-molecular variations of fatty acid δD in algae and submerged plants from the north-eastern Tibetan Plateau

Hu Liu, Hong Yang, Yunning Cao, Qin Leng, Weiguo Liu

PII: S0146-6380(18)30102-5
DOI: https://doi.org/10.1016/j.orggeochem.2018.05.004
Reference: OG 3719

To appear in: *Organic Geochemistry*

Received Date: 28 March 2018
Revised Date: 2 May 2018
Accepted Date: 7 May 2018

Please cite this article as: Liu, H., Yang, H., Cao, Y., Leng, Q., Liu, W., Inter-molecular variations of fatty acid δD in algae and submerged plants from the north-eastern Tibetan Plateau, *Organic Geochemistry* (2018), doi: https://doi.org/10.1016/j.orggeochem.2018.05.004

Inter-molecular variations of fatty acid δD in algae and submerged plants from the north-eastern Tibetan Plateau

Hu Liu [a,b], Hong Yang [c], Yunning Cao [a], Qin Leng [c], Weiguo Liu [a,b]*

[a] *State Key Laboratory of Loess and Quaternary Geology, Institute of Earth Environment, Chinese Academy of Sciences, Xi'an 710061, China*

[b] *University of Chinese Academy of Sciences, Beijing, 100049, China*

[c] *Laboratory for Terrestrial Environments, Department of Science and Technology, College of Arts and Sciences, Bryant University, Smithfield, Rhode Island 02917, USA*

*Corresponding author:

Weiguo Liu, State Key Laboratory of Loess and Quaternary Geology, Institute of Earth Environment, Chinese Academy of Sciences, Xi'an 710061 China

Email: liuwg@loess.llqg.ac.cn

Tel: +86-029-62336230

ABSTRACT

Hydrogen isotopic compositions (δD) of fatty acids (FAs) in lake sediments have been widely used in palaeoenvironmental reconstruction, but investigations on FA δD