

Occurrence and significance of mono-, di- and anhydrosaccharide biomolecules in Mesozoic and Cenozoic lignites and fossil wood

Leszek Marynowski, Michał Bucha, Justyna Smolarek, Małgorzata Wendoeff, Bernd R.T. Simoneit

PII: S0146-6380(17)30413-8
DOI: https://doi.org/10.1016/j.orggeochem.2017.11.008
Reference: OG 3646

To appear in: *Organic Geochemistry*

Received Date: 21 May 2017
Revised Date: 21 October 2017
Accepted Date: 14 November 2017

Please cite this article as: Marynowski, L., Bucha, M., Smolarek, J., Wendoeff, M., Simoneit, B.R.T., Occurrence and significance of mono-, di- and anhydrosaccharide biomolecules in Mesozoic and Cenozoic lignites and fossil wood, *Organic Geochemistry* (2017), doi: https://doi.org/10.1016/j.orggeochem.2017.11.008

Occurrence and significance of mono-, di- and anhydrosaccharide biomolecules in Mesozoic and Cenozoic lignites and fossil wood

Leszek Marynowski [a]*, Michał Bucha [a], Justyna Smolarek [a], Małgorzata Wendoeff [b], Bernd R.T. Simoneit [c]

[a] *Faculty of Earth Sciences, University of Silesia, ul. Będzińska 60, 41-200 Sosnowiec, Poland*

[b] *Institute of Geological Sciences, Jagiellonian University, ul. Gronostajowa 3a, 30-387 Krakow, Poland*

[c] *Department of Chemistry, Oregon State University, Corvallis, OR 97331, USA*

* corresponding author: e-mail: leszek.marynowski@us.edu.pl