

Accepted Manuscript

Synthesis of high χ block copolymers with LC moieties and PMMA segments using RAFT polymerization, and their nanostructure morphologies

In-Joon Byun, Ju-Ho Lee, Kwang-Un Jeong, Yang-Kyoo Han



PII: S0032-3861(18)30378-1

DOI: [10.1016/j.polymer.2018.04.072](https://doi.org/10.1016/j.polymer.2018.04.072)

Reference: JPOL 20552

To appear in: *Polymer*

Received Date: 3 February 2018

Revised Date: 20 April 2018

Accepted Date: 27 April 2018


Please cite this article as: Byun I-J, Lee J-H, Jeong K-U, Han Y-K, Synthesis of high χ block copolymers with LC moieties and PMMA segments using RAFT polymerization, and their nanostructure morphologies, *Polymer* (2018), doi: 10.1016/j.polymer.2018.04.072.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Graphical Abstract

Synthesis of high χ block copolymers with LC moieties and PMMA segments using RAFT polymerization, and their nanostructure morphologies

In-Joon Byun, Ju-Ho Lee, Kwang-Un Jeong, Yang-Kyoo Han



Download English Version:

<https://daneshyari.com/en/article/7819710>

Download Persian Version:

<https://daneshyari.com/article/7819710>

[Daneshyari.com](https://daneshyari.com)