Accepted Manuscript

Synthesis of artificial urushi via ring-opening reaction of benzoxazine with renewable cardanol

Hong-Xia Ma, Zhi-Bo Xu, Jin-Jun Qiu, Cheng-Mei Liu

PII: S0032-3861(17)31026-1

DOI: 10.1016/j.polymer.2017.10.053

Reference: JPOL 20095

To appear in: *Polymer*

Received Date: 12 June 2017

Revised Date: 6 October 2017

Accepted Date: 24 October 2017

Please cite this article as: Ma H-x, Xu Z-b, Qiu J-j, Liu C-m, Synthesis of artificial urushi via ring-opening reaction of benzoxazine with renewable cardanol, *Polymer* (2017), doi: 10.1016/j.polymer.2017.10.053.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Graphic Abstract for

Synthesis of Artificial Urushi via Ring-Opening Reaction of Benzoxazine with Renewable Cardanol

Hong-xia Ma,^{a, b}Zhi-bo Xu,^c Jin-jun Qiu,^a and Cheng-mei Liu,^{a,*}

^a College of Chemistry and Chemical Engineering, Key Laboratory for Large-formal Battery Materials and

System, Ministry of Education, Huazhong University of Science and Technology, Wuhan 430074, China

^b Department of Chemical and Environmental Engineering, Wuhan Institute of Bioengineering, Wuhan 430415, China

^c School of Mechanical Engineering and Electronic Information, China University Geosciences, Wuhan 430074, P. R. China



Download English Version:

https://daneshyari.com/en/article/7822132

Download Persian Version:

https://daneshyari.com/article/7822132

Daneshyari.com