


Accepted Manuscript

Regulation of pore morphologies of PU films and thereof water vapor permeability by varying tetrahydrofuran concentration in binary solvent

Chunhua Zhang, Pei Lyu, Liangjun Xia, Yun Wang, Chen Li, Xin Xiang, Fangyin Dai, Weilin Xu, Xin Liu, Bo Deng



PII: S0142-9418(18)30561-0

DOI: [10.1016/j.polymertesting.2018.05.006](https://doi.org/10.1016/j.polymertesting.2018.05.006)

Reference: POTE 5453

To appear in: *Polymer Testing*

Received Date: 4 April 2018

Revised Date: 3 May 2018

Accepted Date: 5 May 2018

Please cite this article as: C. Zhang, P. Lyu, L. Xia, Y. Wang, C. Li, X. Xiang, F. Dai, W. Xu, X. Liu, B. Deng, Regulation of pore morphologies of PU films and thereof water vapor permeability by varying tetrahydrofuran concentration in binary solvent, *Polymer Testing* (2018), doi: 10.1016/j.polymertesting.2018.05.006.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Regulation of pore morphologies of PU films and thereof water vapor permeability by varying tetrahydrofuran concentration in binary solvent

Chunhua Zhang^{a,b,+}, Pei Lyu^{b,+}, Liangjun Xia^b, Yun Wang^b, Chen Li^b, Xin Xiang^b, Fangyin Dai^a, Weilin Xu^{a,b}, Xin Liu^{b*}, Bo Deng^{b*}

^a College of Textiles & Garments, Southwest University, Chongqing 400715, China

^b State Key Laboratory of New Textile Materials and Advanced Processing Technologies, Wuhan Textile University, Wuhan 430073, China

*Corresponding author.

E-mail address: xinliu_wtu@163.com (X. L.);

dengjianguo88@outlook.com (B. D.)

Present address: State Key Laboratory of New Textile Materials and Advanced Processing Technologies, Wuhan 430073, China

⁺ Chunhua Zhang and Pei Lyu contributed equally to this work.

Abstract

The concentration of tetrahydrofuran (THF) was used to regulate the pore morphologies of PU films using a THF/*N,N*-dimethylformamide (DMF) binary

Download English Version:

<https://daneshyari.com/en/article/7824597>

Download Persian Version:

<https://daneshyari.com/article/7824597>

[Daneshyari.com](https://daneshyari.com)