

Accepted Manuscript

N,N-dimethyl-D-glucosamine as an efficient ligand for copper-catalyzed Ullmann-type coupling of *N*-H heterocycles with aryl halides

Jiao Jiao Wei, Wei Bin Song, Ye Fu Zhu, Bo Le Wei, Li Jiang Xuan



PII: S0040-4020(17)31175-4

DOI: [10.1016/j.tet.2017.11.027](https://doi.org/10.1016/j.tet.2017.11.027)

Reference: TET 29107

To appear in: *Tetrahedron*

Received Date: 21 September 2017

Revised Date: 6 November 2017

Accepted Date: 10 November 2017

Please cite this article as: Wei JJ, Song WB, Zhu YF, Wei BL, Xuan LJ, *N,N*-dimethyl-D-glucosamine as an efficient ligand for copper-catalyzed Ullmann-type coupling of *N*-H heterocycles with aryl halides, *Tetrahedron* (2017), doi: 10.1016/j.tet.2017.11.027.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

***N,N*-Dimethyl-D-Glucosamine as an Efficient Ligand for Copper-Catalyzed Ullmann-type Coupling of *N*-H Heterocycles with Aryl Halides**

Jiao Jiao Wei^{a,b}, Wei Bin Song^a, Ye Fu Zhu^{a,b}, Bo Le Wei^{a,b} and Li Jiang Xuan^{*,a}

Affiliation

^a *State Key Laboratory of Drug Research, Shanghai Institute of Materia Medica, Chinese Academy of Sciences, 501 Haik Road, Shanghai 201203, PR China*

^b *University of Chinese Academy of Sciences, No.19A Yuquan Road, Beijing 100049, PR China*

*Corresponding to: Li Jiang Xuan; Tel: +86-21-20231968, Fax: +86-21-20231968, E-mail address: ljxuan@simm.ac.cn.

Download English Version:

<https://daneshyari.com/en/article/7827929>

Download Persian Version:

<https://daneshyari.com/article/7827929>

[Daneshyari.com](https://daneshyari.com)