### Accepted Manuscript

#### Full Length Article

Graphene oxide membranes for ion separation: detailed studies on the effects of fabricating conditions

Jingke Hou, Chenlu Bao, Shaoyi Qu, Xiaoyu Hu, Sankar Nair, Yingbo Chen

PII:	S0169-4332(18)32104-4
DOI:	https://doi.org/10.1016/j.apsusc.2018.07.207
Reference:	APSUSC 40022

To appear in: Applied Surface Science

Received Date:10 May 2018Revised Date:13 July 2018Accepted Date:29 July 2018



Please cite this article as: J. Hou, C. Bao, S. Qu, X. Hu, S. Nair, Y. Chen, Graphene oxide membranes for ion separation: detailed studies on the effects of fabricating conditions, *Applied Surface Science* (2018), doi: https://doi.org/10.1016/j.apsusc.2018.07.207

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## **ACCEPTED MANUSCRIPT**

# Graphene oxide membranes for ion separation: detailed studies on the effects of fabricating conditions

Jingke Hou<sup>1</sup>, Chenlu Bao<sup>1</sup>, Shaoyi Qu<sup>1</sup>, Xiaoyu Hu<sup>2</sup>, Sankar Nair<sup>3</sup>, Yingbo

Chen<sup>1,\*</sup>

<sup>1</sup>School of Materials Science and Engineering, State Key Laboratory of Separation Membranes and Membrane Processes, Tianjin Polytechnic University, Tianjin 300387, P. R. China

<sup>2</sup>State Key Laboratory of Membrane Materials and Membrane Applications, Tianjin Motimo Membrane Technology Co., Ltd., Tianjin 300042, P. R. China
<sup>3</sup>School of Chemical and Biomolecular Engineering, Georgia Institute of Technology,

Atlanta 30332, USA

\*Tel: +86-22-83955357; E-mail: bocy2009@hotmail.com (Yingbo Chen)

### ABSTRACT

Graphene oxide (GO) membrane has potential application in desalination process. In this paper, vacuum filtration was employed to prepare GO membrane on the mixed cellulose support membrane, which had caused widespread concern due to its efficiency, simplicity, and uniform thickness of the prepared membrane. Our goal is to explore the optimal preparation conditions of GO membrane that we can get a membrane with high permeation performance. Here, the performance of pure GO membranes prepared in different conditions were described in detail, which would create an unexpected value for the stability of GO membrane permeation properties and its practical application. In addition, we obtained a high-performance GO Download English Version:

## https://daneshyari.com/en/article/7832781

Download Persian Version:

https://daneshyari.com/article/7832781

Daneshyari.com