Accepted Manuscript

Full Length Article

Highly conducting fibrous carbon-coated silicon alloy anode for lithium ion batteries

Juyoung Jang, Inyeong Kang, Kyung-Woo Yi, Young Whan Cho

PII: S0169-4332(18)31483-1

DOI: https://doi.org/10.1016/j.apsusc.2018.05.165

Reference: APSUSC 39441

To appear in: Applied Surface Science

Received Date: 9 December 2017 Revised Date: 30 April 2018 Accepted Date: 21 May 2018



Please cite this article as: J. Jang, I. Kang, K-W. Yi, Y. Whan Cho, Highly conducting fibrous carbon-coated silicon alloy anode for lithium ion batteries, *Applied Surface Science* (2018), doi: https://doi.org/10.1016/j.apsusc. 2018.05.165

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Highly conducting fibrous carbon-coated silicon alloy anode for lithium ion batteries

Juyoung Jang^{a,b}, Inyeong Kang^{a,b}, Kyung-Woo Yi^{b,c,*}, Young Whan Cho^{a,*}

^aHigh Temperature Energy Materials Research Center, Korea Institute of Science and Technology, Seoul 02792, South Korea


^bDepartment of Materials Science and Engineering, Seoul National University, Seoul 08826, South Korea

^cResearch Institute of Advanced Materials, Seoul National University, Seoul 08826, South Korea

*Corresponding Author

E-mail addresses: oze@kist.re.kr (Y.W.Cho), yikw@snu.ac.kr (K.-W.Yi).

Graphical abstract



Download English Version:

https://daneshyari.com/en/article/7833250

Download Persian Version:

https://daneshyari.com/article/7833250

<u>Daneshyari.com</u>