

The bi-direction tuning of work function by authigenic buffer layer in all polymer solar cells

Hongai Li^{a,§}, Rui Zhang^{b,c,§}, Yi Qu^{a,d,*}, Jidong Zhang^{b,*}

^a *State Key Laboratory of High Power Semiconductor Lasers, Changchun University of Science and Technology, Changchun 130022, China*

^b *State Key Laboratory of Polymer Physics and Chemistry, Changchun Institute of Applied Chemistry, Chinese Academy of Sciences, 5625 Renmin Street, Changchun 130022, China*

^c *University of the Chinese Academy of Sciences, No.19A Yuquan Road, Beijing 100049, China*

^d *College of Physics and Electronic Engineering, Hainan Normal University, 55 Longkun South Road, Haikou 571158, China*

*←Corresponding author at: State Key Laboratory of High Power Semiconductor Lasers, Changchun University of Science and Technology, Changchun 130022, China. E-mail address: quyi@cust.edu.cn

State Key Laboratory of Polymer Physics and Chemistry, Changchun Institute of Applied Chemistry, Chinese Academy of Sciences, 5625 Renmin Street, Changchun 130022, China. E-mail address: jdzhang@ciac.ac.cn

Download English Version:

<https://daneshyari.com/en/article/7833951>

Download Persian Version:

<https://daneshyari.com/article/7833951>

[Daneshyari.com](https://daneshyari.com)