#### Accepted Manuscript

#### Full Length Article

Wavelength Dependent Atomic Force Microscope Tip-enhanced Laser Ablation

Fan Cao, Fabrizio Donnarumma, Kermit K. Murray

PII:	S0169-4332(18)30936-X
DOI:	https://doi.org/10.1016/j.apsusc.2018.03.239
Reference:	APSUSC 38987
To appear in:	Applied Surface Science
Received Date:	15 February 2018
Accepted Date:	29 March 2018



Please cite this article as: F. Cao, F. Donnarumma, K.K. Murray, Wavelength Dependent Atomic Force Microscope Tip-enhanced Laser Ablation, *Applied Surface Science* (2018), doi: https://doi.org/10.1016/j.apsusc.2018.03.239

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

#### **ACCEPTED MANUSCRIPT**

# Wavelength Dependent Atomic Force Microscope

#### Tip-enhanced Laser Ablation

Fan Cao, Fabrizio Donnarumma, and Kermit K. Murray\*

Department of Chemistry, Louisiana State University, Baton Rouge, Louisiana. 70803, United

MAN

States

Corresponding Author and reprint requests:

Dr. Kermit K. Murray, 331 Choppin Hall, Department of Chemistry, Louisiana State University, Louisiana, 70803, United States Phone: (225) 578-3417 E-mail: kkmurray@lsu.edu Download English Version:

# https://daneshyari.com/en/article/7834108

Download Persian Version:

# https://daneshyari.com/article/7834108

Daneshyari.com