

# Accepted Manuscript

## Full Length Article

Influence of a novel co-doping (Zn+F) on the physical properties of nano structured (111) oriented CdO thin films applicable for window layer of solar cell

M. Anitha, K. Saravanakumar, N. Anitha, L. Amalraj

PII: S0169-4332(18)30599-3  
DOI: <https://doi.org/10.1016/j.apsusc.2018.02.231>  
Reference: APSUSC 38689

To appear in: *Applied Surface Science*

Received Date: 27 June 2017  
Revised Date: 13 January 2018  
Accepted Date: 23 February 2018

Please cite this article as: M. Anitha, K. Saravanakumar, N. Anitha, L. Amalraj, Influence of a novel co-doping (Zn +F) on the physical properties of nano structured (111) oriented CdO thin films applicable for window layer of solar cell, *Applied Surface Science* (2018), doi: <https://doi.org/10.1016/j.apsusc.2018.02.231>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Influence of a Novel co-doping (Zn+F) on the Physical Properties of Nano Structured (111)  
Oriented CdO Thin Films Applicable for Window Layer of Solar Cell**

M. Anitha<sup>a</sup>, K. Saravanakumar<sup>b</sup>, N. Anitha<sup>a</sup>, and L. Amalraj<sup>a\*</sup>

<sup>a</sup>Research Department of Physics, V.H.N.S.N College (Autonomous), Virudhunagar – 626001,  
Tamilnadu, India

<sup>b</sup>Department of Chemistry, V.H.N.S.N College (Autonomous), Virudhunagar – 626001,  
Tamilnadu, India

**Abstract:**

Un-doped and co-doped (Zn+F) cadmium oxide (CdO) thin films were prepared by modified spray pyrolysis technique using a nebulizer on glass substrates kept at 200°C. They were characterized by X-ray diffraction (XRD), scanning electron microscopy (SEM), UV visible spectroscopy, Hall Effect and photoluminescence (PL) respectively. The thin films were having thickness in the range of 520-560 nm. They were well crystalline and displayed high transparency of about >70 % in the visible region. It was clearly seen from the SEM photographs that co-doping causes notable changes in the surface morphology. Electrical study exhibited the resistivity of co-doped CdO thin films drastically fell to  $1.43 \times 10^{-4} \Omega\text{-cm}$  compared with the un-doped CdO thin films. The obtained PL spectra were well corroborated with the structural and optical studies. The high transparency, wide band gap energy and enhanced electrical properties obtained infer that Zn+F co-doped CdO thin films find application in optoelectronic devices, especially in window layer of solar cells.

**Keywords:** CdO; Nebulized spray pyrolysis; Optical properties; Structural properties; Thin films.

Corresponding author mail id: amalraj57@yahoo.co.in

Download English Version:

<https://daneshyari.com/en/article/7834449>

Download Persian Version:

<https://daneshyari.com/article/7834449>

[Daneshyari.com](https://daneshyari.com)