



# **Reversible switching of wetting properties and erasable patterning of polymer surfaces using plasma oxidation and thermal treatment**

Zeeshan Rashid<sup>1</sup>, Ipek Atay<sup>2</sup>, Seren Soydan<sup>3</sup>, M. Baris Yagci<sup>4</sup>, Alexandr Jonáš<sup>5</sup>, Emel Yilgor<sup>2,4</sup>, Alper Kiraz<sup>1,4,6</sup>, and Iskender Yilgor<sup>2,4</sup>

<sup>1</sup> Department of Electrical and Electronics Engineering, Koç University, 34450, Sariyer, Istanbul, Turkey

<sup>2</sup> Department of Chemistry, Koç University, 34450 Sariyer, Istanbul, Turkey

<sup>3</sup> Department of Physics, Istanbul Technical University, 34469 Maslak, Istanbul, Turkey

<sup>4</sup> Koç University Surface Science and Technology Center (KUYTAM), Rumelifeneri Yolu, 34450 Sariyer, Istanbul, Turkey

<sup>5</sup> Institute of Scientific Instruments of the CAS, v.v.i., The Czech Academy of Sciences, Královopolská 147, 612 64 Brno, Czech Republic

<sup>6</sup> Department of Physics, Koç University, 34450 Sariyer, Istanbul, Turkey

Keywords: reversible wetting, plasma oxidation, superhydrophobic, superhydrophilic.

Corresponding authors:

Alper Kiraz: akiraz@ku.edu.tr

Iskender Yilgor: iyilgor@ku.edu.tr

Download English Version:

<https://daneshyari.com/en/article/7835126>

Download Persian Version:

<https://daneshyari.com/article/7835126>

[Daneshyari.com](https://daneshyari.com)