



Full Length Article

Hydrophobic and hydrophilic nanosheet catalysts with high catalytic activity and recycling stability through control of the outermost ligand



Younji Ko¹, Donghee Kim¹, Cheong Hoon Kwon, Jinhan Cho*

Department of Chemical & Biological Engineering, Korea University, 145 Anam-ro, Seongbuk-gu, Seoul, 02841, Republic of Korea

ARTICLE INFO

Article history:

Received 16 August 2017

Received in revised form

23 November 2017

Accepted 6 December 2017

Available online 13 December 2017

Keywords:

Hydrophobic/hydrophilic graphene oxide nanosheet

Palladium nanoparticle

Ligand replacement reaction

TMB oxidation

Suzuki–Miyaura coupling reaction

ABSTRACT

In this study, we introduce hydrophobic and hydrophilic graphene oxide nanosheet (GON) catalysts prepared by consecutive ligand replacement of hydrophobically stabilized magnetic and catalytic nanoparticles (NPs); it exhibits high catalytic activity, fast magnetic response, and good dispersion in both nonpolar and aqueous media, allowing high loading amount of magnetic and catalytic NPs onto GON sheets. More specifically, these GON catalysts showed a high product yield of 66–99% and notable recyclability (93% of the initial product yield after 10 reaction cycles) in a Suzuki–Miyaura reaction in nonpolar media, outperforming the performance of the conventional hydrophilic GON catalysts. Additional coating of a hydrophilic layer onto GON catalysts also showed the notable performance (product yield ~99%) in catalytic reactions performed in aqueous media. Given that ligand-controlled catalytic NPs adsorbed onto 2D nanosheets can be used as hydrophobic and hydrophilic stabilizers as well as catalysts, our approach can provide a tool for developing and designing 2D-nanosheet catalysts with high performance in nonpolar and polar media.

© 2017 Elsevier B.V. All rights reserved.

1. Introduction

Metal nanoparticle (NP)-based catalysts have been widely used in a number of chemical reaction-related processes such as photocatalysts or the synthesis of fine chemicals (including intermediates or pharmaceutical products), and electrochemical applications owing to their high surface-to-volume ratio and unusual active sites for better catalytic performance [1–6]. Important parameters for the preparation of high-performance NP catalysts are uniform and stable immobilization of well-defined active NPs on solid substrates with a large surface area and high dispersion of the formed catalyst-supported substrates in desired reaction media. More specifically, because the catalytic reaction of noble metals such as palladium (Pd) in the heterogeneous or semi-heterogeneous catalysis for carbon–carbon (C–C) coupling reactions occurs almost entirely on the particle surface [7–10], a high dispersion of catalytic NPs in the reaction media is required to enhance the catalytic activity. However, NPs without appropriate ligands easily aggregate in aqueous or organic reaction media, reducing their catalytic activity [11,12].


As an alternative, a number of approaches have been developed for the preparation of catalytic NPs with stable immobiliza-

tion on various solid supports, including carbon-based materials [13–25]. In particular, graphene oxide nanosheets (GONs) have drawn considerable attention owing to their enormous surface area ($2630 \text{ m}^2 \text{ g}^{-1}$) [23–25]. For example, most hydrophilic Pd NP-supported GONs (prepared by the direct reduction of Pd ions or by electrostatic assembly) exhibit high catalytic activity in hydrophilic reaction media (*i.e.*, water and/or water/alcohol mixture) but not in nonpolar media because of their poor dispersion stability and stacking phenomenon [26,27]. Pd NP-supported GONs showed high catalytic activity (product yield ~99%) for Suzuki–Miyaura reaction in water or methanol/water mixture [28,29]. However, the product yield in nonpolar media was in the range ~5–69%. Although highly dispersible GON sheets can be prepared in nonpolar media by introducing organic moieties with long alkyl chains onto the surface of the GON sheet [30,31], the resulting GON sheets had no interaction with the surface of the hydrophilic or hydrophobic catalytic NPs. Thus, the 2D-sheet catalysts, such as GON sheet/catalytic nanocomposites have mainly been prepared *via* metal ion reduction or electrostatic assembly that can induce uniform dispersion in only aqueous or water/alcohol mixture media rather than organic media. In this case, the packing density (or loading amount) of catalytic NPs on hydrophilic GONs is limited to the level where the NPs decorate the surface. As a result, a substantial portion of the large surface area remains inactive or bare. Therefore, interface control of catalytic NPs and GONs is strongly required for the development

* Corresponding author.

E-mail address: jinhan71@korea.ac.kr (J. Cho).

¹ These authors contributed equally to this work.



Scheme 1. Schematic for the preparation of hydrophobic and hydrophilic GON catalysts containing OA-Fe₃O₄ NPs and TOABr-Pd NPs.

of high-performance 2D-nanosheet catalysts that are highly active, stable and dispersible in both nonpolar and polar media.

Herein, we introduce for the first time hydrophobic and hydrophilic GON catalysts with high catalytic activity, good reusability, and high dispersion in both nonpolar and aqueous reaction media. Particularly, we highlight that these hydrophobic and hydrophilic 2D-nanosheet catalysts can be prepared by an aid of the outermost ligand-controllable NPs. Another remarkable features are that our approach can maximize the effectiveness of 2D-nanosheets with large specific surface area, and furthermore significantly enhance the recyclability as a result of densely packed magnetic NPs as well as covalent bonding between 2D-nanosheet and catalytic NPs. As model systems for demonstrating these uniquenesses, Suzuki–Miyaura reaction in polar/nonpolar media and 3,3',5,5'-tetramethylbenzidine (TMB) oxidation in aqueous media were performed using hydrophobic

and hydrophilic GON catalysts. First, the GON catalysts composed of poly(ethylene imine) (PEI), tetra(octylammonium bromide)-stabilized Pd (TOABr-Pd NPs) [32], and oleic acid-stabilized Fe₃O₄ NPs (OA-Fe₃O₄ NPs) [33] were prepared using ligand-replacement reaction assembly (Scheme). When the hydrophobic TOABr-Pd NPs were deposited onto GONs, the yield of various aryl iodides and phenylboronic acids in toluene using these hydrophobic catalysts increased up to 99%. Their catalytic activity was 2.8 and 12 times higher than those of conventional GON catalysts and other multi-wall carbon nanotube (MWCNT)-type catalysts in nonpolar media, respectively. In addition, when the outermost ligand on the Pd NPs was changed from hydrophobic TOABr to hydrophilic PEI, the catalyst again exhibited high catalytic performance (product yield ~99%) for the Suzuki–Miyaura coupling reactions in water or alcohol media and for the oxidation of 3,3',5,5'-tetramethylbenzidine (TMB) in aqueous media. Furthermore, the GON catalysts displayed

Download English Version:

<https://daneshyari.com/en/article/7836011>

Download Persian Version:

<https://daneshyari.com/article/7836011>

[Daneshyari.com](https://daneshyari.com)