


www.elsevier.com/locate/jlumin

# Spectroscopic and molecular docking studies of the binding of the angiotensin II receptor blockers (ARBs) azilsartan, eprosartan and olmesartan to bovine serum albumin

Amer M. Alanazi, Ali S. Abdelhameed, Ahmed H. Bakheit, Eman S.G. Hassan, Maha S. Almutairi, Hany W. Darwish, Mohamed I Attia

PII: S0022-2313(18)30631-8
DOI: https://doi.org/10.1016/j.jlumin.2018.06.085
Reference: LUMIN15747

To appear in: *Journal of Luminescence*

Received date: 9 April 2018
Revised date: 24 May 2018
Accepted date: 30 June 2018

Cite this article as: Amer M. Alanazi, Ali S. Abdelhameed, Ahmed H. Bakheit, Eman S.G. Hassan, Maha S. Almutairi, Hany W. Darwish and Mohamed I Attia, Spectroscopic and molecular docking studies of the binding of the angiotensin II receptor blockers (ARBs) azilsartan, eprosartan and olmesartan to bovine serum albumin, *Journal of Luminescence,* https://doi.org/10.1016/j.jlumin.2018.06.085

# Spectroscopic and molecular docking studies of the binding of the angiotensin II receptor blockers (ARBs) azilsartan, eprosartan and olmesartan to bovine serum albumin

Amer M. Alanazi[a], Ali S. Abdelhameed[a*], Ahmed H. Bakheit[a] , Eman S. G. Hassan[b], Maha S. Almutairi[a] Hany W. Darwish[a] and Mohamed I Attia[a]

[a] King Saud University, Department of Pharmaceutical Chemistry, College of Pharmacy, P.O. Box 2457, Riyadh 11451, Saudi Arabia

[b] Developmental Pharmacology Department, National Organization for Drug Control and Research, Cairo, Egypt

∗ Corresponding author: Ali S. Abdelhameed, Ph.D., Department of Pharmaceutical Chemistry, College of Pharmacy, King Saud University, P.O. Box 2457 Riyadh, 11451, Kingdom of Saudi Arabia, Tel.: +966 1146 7798314, Fax: +966 1146 76 220, E-mail: asaber@ksu.edu.sa



## Abstract

Angiotensin receptor blockers (ARBs) represent a group of widely used therapeutic agents for the effective control of hypertension and other cardiovascular problems. Herein, the interactions of three important members of the ARBs (azilsartan, eprosartan and olmesartan) with bovine serum albumin (BSA) have been explored employing a set of simple spectroscopic approaches