

Accepted Manuscript

Indirect detection of ^{10}B ($I = 3$) overtone NMR at very fast magic angle spinning

Nghia Tuan Duong, Ilya Kuprov, Yusuke Nishiyama


PII: S1090-7807(18)30108-3
DOI: <https://doi.org/10.1016/j.jmr.2018.04.004>
Reference: YJMRE 6282

To appear in: *Journal of Magnetic Resonance*

Received Date: 19 March 2018
Revised Date: 5 April 2018
Accepted Date: 9 April 2018

Please cite this article as: N. Tuan Duong, I. Kuprov, Y. Nishiyama, Indirect detection of ^{10}B ($I = 3$) overtone NMR at very fast magic angle spinning, *Journal of Magnetic Resonance* (2018), doi: <https://doi.org/10.1016/j.jmr.2018.04.004>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Indirect detection of ^{10}B ($I = 3$) overtone NMR
at very fast magic angle spinning**

Nghia Tuan Duong¹, Ilya Kuprov², and Yusuke Nishiyama*^{1,3}

¹ RIKEN CLST-JEOL Collaboration Center, RIKEN, Yokohama, Kanagawa, 230-0045, Japan

² School of Chemistry, University of Southampton, Highfield Campus, Southampton, SO17 1BJ, UK

³ JEOL RESONANCE Inc., Musashino, Akishima, Tokyo 196-8558, Japan

Keywords: solid-state NMR; overtone transitions; fast MAS; boron-10; indirect detection

*corresponding author: yunishiy@jeol.co.jp

Download English Version:

<https://daneshyari.com/en/article/7841135>

Download Persian Version:

<https://daneshyari.com/article/7841135>

[Daneshyari.com](https://daneshyari.com)