Accepted Manuscript

Synthesis of optically clear molecular organogels using phenol and a sulfosuccinic surfactant in various solvents with cyclic geometries journal of MOLECULAR LIQUIDS

Katsura Nishiyama, Masaru Kinoshita, Takashi Harada, Yukiteru Katsumoto

PII: S0167-7322(18)30047-3

DOI: doi:10.1016/j.molliq.2018.07.091

Reference: MOLLIQ 9412

To appear in: Journal of Molecular Liquids

Received date: 19 January 2018
Revised date: 9 June 2018
Accepted date: 23 July 2018

Please cite this article as: Katsura Nishiyama, Masaru Kinoshita, Takashi Harada, Yukiteru Katsumoto , Synthesis of optically clear molecular organogels using phenol and a sulfosuccinic surfactant in various solvents with cyclic geometries. Molliq (2018), doi:10.1016/j.molliq.2018.07.091

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Synthesis of optically clear molecular organogels using phenol and a sulfosuccinic surfactant in various solvents with cyclic geometries

Katsura Nishiyama, a,b,* Masaru Kinoshita, Takashi Harada, and Yukiteru Katsumoto^c

^aDepartment of Environmental Science and Technology, Meijo University, Tempaku, Nagoya 468–8502, Japan

^bFaculty of Education, Shimane University, Matsue 690–8504, Japan

^cDepartment of Chemistry, Faculty of Science, Fukuoka University, Fukuoka 814–0180, Japan

*Corresponding author

Katsura Nishiyama

E-mail: knis@meijo-u.ac.jp

TEL: +81-52-838-2345

FAX: +81-52-832-1179

Download English Version:

https://daneshyari.com/en/article/7841967

Download Persian Version:

https://daneshyari.com/article/7841967

<u>Daneshyari.com</u>