

Accepted Manuscript

Electrochemical sensor for the determination of ketoconazole based on gold nanoparticles modified carbon paste electrode

Tawfik A. Saleh, Khaled M.M. AlAqad, Abdur Rahim



PII: S0167-7322(17)34986-3
DOI: <https://doi.org/10.1016/j.molliq.2018.02.006>
Reference: MOLLIQ 8647
To appear in: *Journal of Molecular Liquids*
Received date: 19 October 2017
Revised date: 5 January 2018
Accepted date: 1 February 2018

Please cite this article as: Tawfik A. Saleh, Khaled M.M. AlAqad, Abdur Rahim , Electrochemical sensor for the determination of ketoconazole based on gold nanoparticles modified carbon paste electrode. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Molliq(2017), <https://doi.org/10.1016/j.molliq.2018.02.006>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Electrochemical sensor for the determination of ketoconazole based on gold nanoparticles modified carbon paste electrode

Tawfik A. Saleh ^{1*}, Khaled M.M. AlAqad¹, Abdur Rahim^{*2}

¹ *Department of Chemistry; King Fahd University of Petroleum & Minerals, Dhahran 31261, Saudi Arabia*

² *Interdisciplinary Research Center in Biomedical Materials, COMSATS Institute of Information Technology, Lahore, Pakistan.*

**Corresponding author*

Dr. Abdur Rahim (rahimkhan533@gmail.com; abdurrahim@ciitlahore.edu.pk)

Dr. Tawfik A. Saleh (tawfik@kfupm.edu.sa ; tawfikas@hotmail.com)

Download English Version:

<https://daneshyari.com/en/article/7842718>

Download Persian Version:

<https://daneshyari.com/article/7842718>

[Daneshyari.com](https://daneshyari.com)