

Accepted Manuscript


How the stability of a folded protein depends on interfacial water properties and residue-residue interactions

Valentino Bianco, Neus Pagès Gelabert, Ivan Coluzza, Giancarlo Franzese

PII: S0167-7322(17)31541-6
DOI: doi:[10.1016/j.molliq.2017.08.026](https://doi.org/10.1016/j.molliq.2017.08.026)
Reference: MOLLIQ 7734

To appear in: *Journal of Molecular Liquids*

Received date: 11 April 2017
Revised date: 4 August 2017
Accepted date: 6 August 2017



Please cite this article as: Valentino Bianco, Neus Pagès Gelabert, Ivan Coluzza, Giancarlo Franzese, How the stability of a folded protein depends on interfacial water properties and residue-residue interactions, *Journal of Molecular Liquids* (2017), doi:[10.1016/j.molliq.2017.08.026](https://doi.org/10.1016/j.molliq.2017.08.026)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

How the stability of a folded protein depends on interfacial water properties and residue-residue interactions

Valentino Bianco^{a,*}, Neus Pagès Gelabert^b, Ivan Coluzza^a,
Giancarlo Franzese^{b,c,*}

^a *Universität Wien, Sensengasse 8/10, 1090 Vienna, Austria*

^b *Secció de Física Estadística i Interdisciplinària–Departament de Física de la Matèria Condensada, Facultat de Física Universitat de Barcelona, Martí i Franquès 1, 08028, Barcelona, Spain*

^c *Institute of Nanoscience and Nanotechnology (IN2UB), Universitat de Barcelona, Av. Joan XXIII S/N, 08028 Barcelona, Spain*

Abstract

Proteins tend to adopt a single or a reduced ensemble of configurations at natural conditions [1], but changes in temperature T and pressure P induce their unfolding. Therefore for each protein there is a stability region (SR) in the T – P thermodynamic plane outside which the biomolecule is denaturated. It is known that the extension and shape of the SR depend on i) the specific protein residue-residue interactions in the native state of the amino acids sequence and ii) the water properties at the hydration interface. Here we analyze by Monte Carlo simulations of different coarse-grained protein models in explicit water how changes in i) and ii) affect the SR. We show that the solvent properties ii) are essential to rationalize the SR shape at low T and high P and that our findings are robust with respect to parameter changes and with respect to different protein models, representative of the ordered and disordered proteins. These results can help in developing new strategies for the design of novel synthetic biopolymers.

Keywords: Protein folding; Cold denaturation; Pressure denaturation;

*Corresponding author

Email addresses: valentino.bianco@univie.ac.at (Valentino Bianco),
gfranzese@ub.edu (Giancarlo Franzese)

Download English Version:

<https://daneshyari.com/en/article/7843976>

Download Persian Version:

<https://daneshyari.com/article/7843976>

[Daneshyari.com](https://daneshyari.com)