

Accepted Manuscript

Cross-contamination of the fitting parameters in multidimensional tunneling treatments

Nobukimi Ohashi, Jon T. Hougen


PII: S0022-2852(17)30066-8
DOI: <http://dx.doi.org/10.1016/j.jms.2017.04.015>
Reference: YJMSP 10890

To appear in: *Journal of Molecular Spectroscopy*

Received Date: 7 March 2017
Revised Date: 17 April 2017
Accepted Date: 19 April 2017

Please cite this article as: N. Ohashi, J.T. Hougen, Cross-contamination of the fitting parameters in multidimensional tunneling treatments, *Journal of Molecular Spectroscopy* (2017), doi: <http://dx.doi.org/10.1016/j.jms.2017.04.015>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Cross-contamination of the fitting parameters in multidimensional tunneling treatments

Nobukimi Ohashi^a and Jon T. Hougen^b^aKanazawa University, Kakuma, Kanazawa 1192, JAPAN^bSensor Science Division, National Institute of Standards and Technology, Gaithersburg, MD
20899-8441, USA

2017 April 13 Version

*Author to whom communication should be addressed

Nobukimi Ohashi

Kanazawa University

Kakuma, Kanazawa, 1192 Japan

ohashi1941@nifty.com

Tel. +81-762-44-3183

Fax. +81-762-64-5739

Download English Version:

<https://daneshyari.com/en/article/7844424>

Download Persian Version:

<https://daneshyari.com/article/7844424>

[Daneshyari.com](https://daneshyari.com)